

SPEED DOME CAMERA SD8S4M

INTERNATIONAL
ARMOURTM

www.armour.gr



Infrared Panoramic Camera

XSENTRY



- 360° view with no blind area
- Real-time imaging, real-time panorama, and low rate of alarm omission

Naming rules

XSENTRY

- "X-Men" Sentry
- The product is equipped with AI technology to perform alert tasks and realize continuous scanning, searching and monitoring of large scenes

U/C

- Detector type
- U-uncooled
- C-cooled

6

- Resolution
- 6-640x512
- 12-1280x1024

55

- Focal length
- 25mm
- 55mm
- 75mm
- 110mm
- 120mm
- 150mm



- Uncooled series is equipped with 12μm
- infrared detector
- Integrate industry's advanced optical image stabilization technology + stitching algorithm

Infrared Panoramic Camera

XSENTRY



XSENTRY-U6 640x512/Uncooled

XSENTRY-U625	25mm lens, speed 360°/s
XSENTRY-U655	55mm lens, speed 180°/s
XSENTRY-U675	75mm lens, speed 133°/s
XSENTRY-U6120	120mm lens, speed 100°/s

XSENTRY-U12 1280x1024/Uncooled

XSENTRY-U1255	55mm lens, speed 180°/s
XSENTRY-U1275	75mm lens, speed 154°/s
XSENTRY-U1212	120mm lens, speed 100°/s

XSENTRY-C6 640x512/Cooled

XSENTRY-C6110	110mm lens, speed 180°/s
XSENTRY-C6150	150mm lens, speed 150°/s

Type	Focal Length
XSENTRY-U6 640x512/Uncooled	25mm 、 55mm、 75mm、 120mm
XSENTRY-U12 1280x1024/Uncooled	55mm、 75mm、 120mm
XSENTRY-C6 640x512/Cooled	110mm 、 150mm



Personnel
Detection



Intrusion



UAV
Detection



Vehicle
Detection



Animal
Detection



Fire
Detection



Trajectory
Visualization

Infrared Panoramic Camera

XSENTRY




Diversified Preview Modes

Panoramic Overview



Main Monitoring Area



Key Monitoring Area



INTERNATIONAL ARMOUR
DEFENSE & SAFETY
173 Amfitheas Avenue
17563 Athens, Greece
T: +30 211 2213528E:
info@armour.gr
www.armour.gr