

# High Power Handheld Signal

INTERNATIONAL  
**ARMOUR**<sup>TM</sup>  
[www.armour.gr](http://www.armour.gr)



# High Power Handheld Signal Jammer

(For worldwide all Networks)

WF-K6

## Application

Police, Bomb disposal squads, VIP protection, Special Police (S.W.A.T), military security forces, bomb squads, anti-terror units, anti-drug units, Border control units, checkpoint personnel, Meeting room, Hospitals, Banks, Churches, Conference Rooms, Classrooms and so on, such types of law enforcement personnel who benefit greatly from the deployment of any state in the art portable RF jamming solutions, who can conduct the law enforcement process more effectively to reduce the chance that the criminals leak the information.



# High Power Handheld Signal Jammer

(For worldwide all Networks)

**WF-K6**

## Features and Advantages Of WF-K6

- Inside cooling fans and heat sink design ensure the device to work continuously.
- After working for two hours, the surface temperature of machine is no more than 45 degrees.
- With internal rechargeable battery (Simple to be replaced).
- Antenna can be hidden or exposed.
- Adapted with a Nylon case to be carried more user friendly.
- High-power Multi-band Handheld jammer.
- Configured to block six different frequency bands continuously or simultaneously.
- Separate switch for each bandwidth a working LED.
- Total RF output power is up to 5 watt.

## Battery Technical Parameter

To warranty the safe operation of the equipment, Lithium Iron Phosphate battery has been selected. It is the most secure battery among the global large capacity batteries currently. Battery can be replaced easily.

## Note

- Be sure to connect all the antennae before the power supply is switch on.
- Try to recharge the device only once battery is run-out when you get the device in the first time.
- With the increase of charging electricity, charging indication light turns dim and finally goes off once it is fully charged.
- Don't put the jammer into the water or fire to avoid using in the bad Condition like over-wet, over-hot, high voltage and high magnetism.
- Any sealed mark on the machine tore is invalid.
- Antenna shall be put vertical to the ground to get more efficient jamming performance.
- To open the antennae cover must be followed as the pictures showed.
  1. With the hand to press two fringes of the antennae cover with power strength.
  2. Pull the antennae cover from the device horizontally.



# High Power Handheld Signal Jammer

(For worldwide all Networks)

WF-K6

## Technical Specification

| Type  | Output Port  | Frequency                | Radius range   |
|---|--------------|--------------------------|--|
| <b>Type A</b><br><br>Europe and Middle East Market                                  | GSM900       | 925-960 MHz              | 5-15M @ depending on the mobile service provider's network condition |
|   | GSM1800      | 1805-1880 MHz            |  |
|   | 3G           | 2110-2170 MHz            |  |
|   | WiFi ,2.4Ghz | 2400-2500MHz             |  |
|   | LTE4G,2600   | 2620-2690MHz             |  |
|   | LTE4G 800    | 790-826MHz               |  |
| <b>Type B</b><br><br>American Market  | LTE4G,700    | 725-775MHz               | 5-15M @ depending on the mobile service provider's network condition |
|   | CDMA800      | 851-894MHz               |  |
|   | GSM1900      | 1920-1990MHz             |  |
|   | 3G           | 2110-2170 MHz            |  |
|   | WiFi,2.4Ghz  | 2400-2500 MHz            |  |
|   | GPSL1        | 1570-1580 MHz            |  |
| <b>Type C</b><br><br>(Asia Market): CDMA800,GSM900,GSM1800,3G,WiFi2.4GHz,LTE4G 2600 |              |                          |  |
| Power supply: AC110-240V 12V  |              | Built-in Battery:3000mAh |  |
| Device Net weight: 560g   |              | Complete set : 940g      |  |
| Device Size (without antennae): 16*9*5cm  |              |                          |  |
| Device Size (with antennae cover): 23*9*5cm Packing Size: 31*18*13cm                |              |                          |  |

**INTERNATIONAL ARMOUR**  
DEFENSE & SAFETY  
173 Amfitheas Avenue  
17563 Athens, Greece  
T: +30 211 2213528E:  
info@armour.gr  
www.armour.gr



UNGM MEMBER



NATO  
REGISTER



**ICoC**  
SIGNATORY