

SIGNAL JAMMERS

INTERNATIONAL
ARMOUR
co.
www.armour.gr



HiSea

PORTABLE SIGNAL JAMMERS

Model	Picture	Frequency	Other Details	Note
Portable Handheld Style Signal Jammer				
HS-S10J Portable Car GPS Jammer (1 Band)		Type A: GPS L1	Total: 1.5W	Built-in battery Time:2-3 hours;
		Type B: GPS L2-L5; GSM/DCS/PCS/CDMAWCDMA/LTE (The above are available)	Interference range:up to 10m;	
HS-S20J Portable Remote Control Jammer (2 Band)		Type A: 315MHz 433MHz	Total: 1W	Built-in battery Time:2 hours;
		Type B: 433MHz 868MHz	Interference range:up to 15m;	
HS-S30J Portable Handheld Jammer (3 Band)		Type A: GSM900:925-960MHz GSM1800:1805-1880MHz 3G:2110-2170MHz	Total: 1.5W	Built-in battery time : 90minutes around
		Type B: 315MHz 433MHz 868MHz	Interference range:up to 20m;	
HS-S40J Portable Handheld Jammer (4 Band)		Type A: CDMA:870-880MHz GSM:935-960MHz DCS&PHS:1805-1920MHz WiFi:2400MHz	Total: 2W; Interference range:up to 20m;	Built-in battery Time:2-3 hours;

PORTABLE SIGNAL JAMMERS

HS-S60J Portable Signal Jammer (6 Band)		CDMA/GSM:850-965MHz DCS/PCS:1800-2000MHz 3G:2100-2170MHz WIFI:2300-2500MHz GPS L1:1500-1600MHz Lojack:173MHz	Total: 6W Interference range:5-30m	Built-in battery time :2 hours around;
HS-S80J Portable Signal Jammer (8 Band)		GSM:925-960MHz DCS/4G:1805-1920MHz 3G/WCDMA:2010-2170MHz GPS L1:1500-1600MHz WiFi: 2400-2485MHz 4G-FDD:2300-2390MHz 4G-LTE:2555-2655MHz CDMA:869-885MHz	Total: 3W Interference range: 5-15m	Built-in battery time :2.5 hours around
HS-S90J Portable 5G Signal Jammer (10 Band)		CDMA:870-880MHz GSM:935-960MHz DCS&PHS:1805-1920MHz 3G:2110-2170MHz 4G:2600MHz 4G:800MHz GPS L1:1500-1600MHz WiFi2.4G:2400-2485MHz WiFi5.8g:5725-5825MHz 5G:3400-3600MHz	Total: 10W Interference range:10-40m	Built-in battery time :2 hours around;
HS-S12J Portable 5G Signal Jammer (12 Band)		CDMA&GSM:850-960MHz DCS&PCS:1805-1990MHz 3G:2110-2170MHz WiFi2.4G:2400-2485MHz GPS L1:1500-1600MHz 4G LTE:790-826MHz 4G Wimax:2620-2690MHz WiFi5.2G:5100-5680MHz WiFi5.8G:5680-5900MHz 5G1: 3400-3600MHz 5G2:3600-3800MHz LOJACK:165-174MHz	Total: 12W Interference range:5-25m	Built-in battery time: 2 hours around;

PORTABLE SIGNAL JAMMERS

HS-S16J Portable Signal Jammer (16 Band)		VHF&LOJACK:135-175MHz 4G700:700-803MHz 5G600:617-685MHz 3G:2110-2170MHz WiFi5.2G:5125-5350MHz 4G1700:1710-1780MHz CDMA:850-894MHz 4G2600:2500-2690MHz RC315:315MHz RC:433MHz 5G3600:3600-3900MHz 5G3400:3400-3600MHz GPSL1:1570-1580MHz WiFi2.4G/4G2300:2345-2500MHz PCS:1920-1990MHz WiFi5.8G:5725-5850MHz	Total: 16W Interference range:2-25m	Built-in battery time: 2.5 hours around;
HS-S18J Portable Signal Jammer (18 Band)		UHF&CDMA450:400-470MHz 4GLTE:738-821MHz 5G3400:3400-3600MHz 4G2300:2300-2400MHz WiFi5.2G:5125-5350MHz GPS L2L5:1170-1280MHz 5G1400:1427-1518MHz 4G2600:2570-2690MHz VHF&LOJACK:135-175MHz GPS L1:1570-1610MHz RC315:315MHz DCS&PCS:1805-1880MHz GSM&CDMA&RC868:850-894MHz RC433:433MHz WiFi2.4G:2400-2500MHz WiFi5.8G:5725-5850MHz 5G3700:3600-3900MHz 3G2100:2100-2170MHz	Total: 18W Interference range:10-25m	Built-in battery time: 2.5 hours around;

* The all frequency band is for reference only, and can be customized or modified according to the actual situation of customers.

DESKTOP SIGNAL JAMMERS

Desktop Style Signal Jammer For Indoor				
HS-T15Y J Desktop Signal Jammer (10 Band)		GSM:925-960MHz CDMA:850-894MHz WCDMA:2110-2170MHz TD-SCDMA:2010-2025MHz CDMA200:1920-1935MHz TD-LTE:2300-2390MHz FDD-LTE:2555-2655MHz WiFi2.4G:2400-2485MHz 5G1:3300-3600MHz 5G2:4800-4900MHz	Total: 20W Interference range:30-80 square meter.	AC100-240V -DC12V
HS-T12J Desktop Signal Jammer (12 Band)		CDMA:850-894MHz GSM:925-960MHz PCS/DCS:1805-1990MHz 5G:5152-5848MHz 3G:2110-2170MHz WiFi2.4G:2400-2500MHz GPSL1:1570-1580MHz 4G-LTE:725-770MHz 4G Wimax:2500-2570MHz LOJACK:167-175MHz VHF:135-174MHz UHF:400-470MHz	Total: 86W Interference range:40-50m	AC100-240V -DC12V
HS-T14J Desktop Signal Jammer (14 Band)		CDMA:850-894MHz GSM:925-960MHz PCS/DCS:1805-1990MHz 5G:5152-5848MHz 3G:2110-2170MHz WiFi2.4G:2400-2500MHz GPSL1:1570-1580MHz 4G-LTE:725-770MHz 4G Wimax:2500-2570MHz LOJACK:167-175MHz VHF:135-174MHz UHF:400-470MHz RC315:315MHz RC433:433MHz	Total: 42W Interference range:10-40m	AC100-240V -DC12V

DESKTOP SIGNAL JAMMERS

HS-T20J Desktop Signal Jammer (20 Band)		CDMA800:850-894MHz GSM900:925-960MHz PCS/DCS:1805-1990MHz 3G:2110-2170MHz 4G-LTE:725-770MHz 4G Wimax:2500-2570MHz GPSL1:1570-1580MHz GPSL2-L5:1170-1230MHz GPSL3-L4:1370-1390MHz WiFi2.4G:2400-2500MHz VHF:135-174MHz RC868:868MHz LOJACK:167-175MHz UHF:400-470MHz RC315:315MHz RC433:433MHz WiFi5.2G:5100-5600MHz WiFi5.8G:5600-5900MHz 3.5G(5G Cellphone):3400-3600MHz 3.7G(5G Cellphone):3600-3800MHz	Total: 52W Interference range:40-60m	AC100-240V -DC12V
HS-T22J Desktop Signal Jammer (22 Band)		GSM:925-960MHz DCS:1805-1880MHz GPSL1:1570-1580MHz WiFi2.4G:2400-2500MHz 3G:2110-2170MHz 4G800:738-821MHz 4G2600:2570-2690MHz GPSL2-L5:1170-1230MHz GPSL3-L4:1370-1390MHz UHF/RC433:400-470MHz VHF:135-174MHz LOJACK:167-175MHz RC315:315MHz 4G2500:2500-2570MHz 4G2300:2300-2400MHz 5G 3.4G:3400-3600MHz 5G 3.8G:3600-3900MHz 4G 1700:1710-1780MHz 5G 1500:1427-1518MHz CDMA/RC868:851-894MHz WiFi5.2G:5100-5500MHz WiFi5.8G:5500-5900MHz	Total: 45W Interference range:2-60m	AC100-240V -DC12V

DESKTOP & GUN STYLE SIGNAL JAMMERS

HS-T50J Desktop Signal Jammer (10 Band)		GSM:925-960MHz CDMA:850-894MHz WCDMA:2110-2170MHz TD-SCDMA:2010-2025MHz CDMA200:1920-1935MHz TD-LTE:2300-2390MHz FDD-LTE:2555-2655MHz WiFi2.4G:2400-2485MHz 5G1:3300-3600MHz 5G2:4800-4900MHz	Total: 50W Interference range:30-100 square meter	AC100-240V -DC12V
HS-T100J Desktop Signal Jammer (10 Band)		GSM:925-960MHz CDMA:850-894MHz WCDMA:2110-2170MHz TD-SCDMA:2010-2025MHz CDMA200:1920-1935MHz TD-LTE:2300-2390MHz FDD-LTE:2555-2655MHz WiFi2.4G:2400-2485MHz 5G1:3300-3600MHz 5G2:4800-4900MHz	Total: 100W Interference range:100-200 square meter	AC100-240V -DC12V
Gun Style of Anti-Drone				
HS-59DJ Portable UAV Jammer (2 Band)		ISM2.4G(WiFi2.4G):2400-2500MHz ISM5.8G(WiFi5.8G):5725-5850MHz	Total: 50W Interference range: 0.5km-1km (All are Option)	Built-in Battery or AC220V / 110V
HS-58DJ Portable UAV Jammer (5 Band)		UAV + GPS + WiFi2.4G/5.8G + Walkie Talkie + Mobile Phone	Total: 192W Interference range: 0.5km-1.5km (All are Option)	Built-in Battery or AC220V / 110V

PRISON JAMMERS

Waterproof Stationary Style Jammer For Prison				
HS-56DJ Prison Jammer (6 Band)		375-450MHz 860-960MHz GNSS/GPS1.2G:1180-1280MHz GNSS/GPS1.5G:1550-1600MHz ISM/2.4G:2400-2485MHz ISM/5.8G:5725-5850MHz	Total: 100W Interference range: 0.2km-1km (All are Option)	AC220V / 110V
HS-57DJ Prison Jammer (6 Band)		375-450MHz 860-960MHz GNSS/GPS1.2G:1180-1280MHz GNSS/GPS1.5G:1550-1600MHz ISM/2.4G:2400-2485MHz ISM/5.8G:5725-5850MHz * Can be used DDS Technology	Total: 200W Interference range: 0.2km-2km (All are Option)	AC220V / 110V
HS-P48J Prison Jammer (10 Band)		LTE700:758-803MHz 2G/3G/4G 850:851-894MHz 3G/4G 900:939-960MHz 2G/3G 1900:1930-1990MHz LTE 2100:2110-2170MHz LTE 2600:2620-2690MHz 5G:3500-3700MHz WiFi 2.4G:2400-2485MHz WiFi 5.2G:5160-5680MHz WiFi 5.8G:5680-5900MHz * Can be used DDS Technology	Total: 400W Interference range: 500m (All are Option)	AC220V / 110V

*The above frequency band can be customized according to the actual needs of customers.

Note: Prison style series has more power style, please consult.

PORTABLE MANPACK JAMMERS

Portable Manpack Style Jammer				
HS-MP 53J Backpack Jammer (6 Band)		CDMA/GSM:900-930MHz WiFi2.4G:2400-2450MHz WiFi2.4G:2450-2500MHz WiFi5.8G:5725-5858MHz GPS L1:1520-1580MHz 3G:2110-2170MHz	Total: 90W Interference range: 50-300m	External Battery Work Time:1.5Hours
HS-MP 56J Backpack Jammer (5 Band)		CDMA/GSM:851-894MHz DCS/PCS:1805-1880MHz 3G:2110-2180MHz 4G-LTE:698-798MHz 4G-LTE:2496-2690MHz WiFi2.4G:2400-2485MHz	Total: 140W Interference range: 50-500m	External Battery Work Time:1.5Hours
HS-MP 58J Backpack DDS Technique Jammer		GSM:890-915MHz WCDMA:2110-2170MHz VHF:144-146MHz UHF:430-440MHz	Total: 400W Extra Battery Work Time: 2 Hours Interference range: 50-1000m	Extra Battery Work Time: 2 Hours
		Option: 20-6000MHz *Can be used DDS Technology		
	* Exclusive!			

*The above frequency band can be customized according to the actual needs of customers.

PORTABLE PELICAN CASE BOMB JAMMERS

Portable Pelican Case Bomb Jammer				
HS-V5J Portable Jammer (7 Band)		GSM900:920-965MHz GSM1800:1805-1880MHz 3G:2100-2170MHz 4G-LTE2600:2570-2690MHz 5G:3600-3800MHz 4G-LTE:758-830MHz WiFi2400:2400-2500MHz	Total: 100W Interference range: 30-150m	External Battery or AC220V / 110V
HS-V6J Portable Jammer		VHF:100-300MHz UHF:310-470MHz 3G/WCDMA:2110-2170MHz 4G-LTE2600:2620-2690MHz Drone GPS:1520-1670MHz WiFi/Drone 5.8G:5725-5875MHz Or Option: 20-6000MHz *Can be used DDS Technology	Total: 400W Interference range: 1-3km	External Battery or AC220V / 110V

*The above frequency band and power can be customized according to the actual needs of customers.

VEHICLE BOMB SIGNAL JAMMERS

Vehicle Bomb Signal Jammer For VIP Protection				
HS-V69J Vehicle Jammer		1. 20-100MHz 2. 100-300MHz 3. 300-500MHz 4. 790-830MHz 5. 920-965MHz 6. 1800-1880MHz 7. 2100-2170MHz 8. 2570-2690MHz *Can be used DDS Technology	Total: 800W(Optional) Interference range: 500-1000m	AC220V / 110V or Car power supply
HS-V5.8J Vehicle Jammer		1.20-88MHz 2.1805-1880MHz 3.88-155MHz 4.1930-1990MHz 5.300-450MHz 6.2400-2483.5MHz 7.851-894MHz 8.925-960MHz 9.1570.42-1580.42MHz 10.2100-2170MHz *Can be used DDS Technology	Total: 3000W(Optional) Interference range: 50-1000m	AC220V / 110V or Car power supply

*The above frequency band and power can be customized according to the actual needs of customers.

Note: Vehicle style series has difference power style, please consult.

DRONE SIGNAL JAMMERS

Drone Signal Detect System				
HS-SD003 Spectrum Detection		1. Detection frequency range: 0.1~6GHz;	Detection radius: 3 km	Erection and portable erection of tripod
		2. Detection azimuth: omnidirectional 360 degree		
HS-SD005 Spectrum Detection		1. Detection frequency range: 0.1~6GHz;	Detection radius: 5km	Erection and portable erection of tripod
		2. Detection azimuth: omnidirectional 360 degree		
HS-RD003 Radar detection		1. Frequency: Ku band.	Transmit Power: 80w. Detection Range : >=3km	Working Mode:Pulse Doppler
		2. Antenna Fan Sweep Range : 0-360°		
		3. Target Radia Velocity:2.8=144km/h		
		4. Speed Aoooraoy:0.57km/h		
HS-RD005 Radar detection		1. Frequency: Ku band.	Transmit Power: 120w. Detection Range : >=5km	Working Mode:Pulse Doppler
		2. Antenna Fan Sweep Range : 0-360°		
		3. Target Radia Velocity:2.8=144km/h		
		4. Speed Aoooraoy:0.57km/h		

TRACK & JAMMER

Photoelectric Recognition and Tracking System				
HS-PT051 Photoelectric Tracking System		1. Turning angle of the platform:horizontal: 360 degree pitch: - 50 degree to + 60 degree (customizable)	Tracking distance:daytime (> 1.5 km) and night (> 600 m)	Angular accuracy of platform:<0.1 degree.
		2. Image sensor:2 million pixels.		
Drone Signal Jammer Of The Detection and Tracking System				
HS-PTZ03 Waterproof Drone Jammer with PZT		1500-1600MHz WiFi2.4G: 2400-2500MHz WiFi5.8G:5700-5800MHz RF400:430-433MHz RF900:900-915MHz GPSL2-L5:1170-1130MHz Option:20-6000MHz	Total: 270W Interference range: 20-3000m	AC220V / 110V
HS-PTZ05 Waterproof Drone Jammer with PZT		1500-1600MHz WiFi2.4G: 2400-2500MHz WiFi5.8G:5700-5800MHz RF400:430-433MHz RF900:900-915MHz GPSL2-L5:1170-1130MHz Option:20-6000MHz	Total: 530W Interference range: 20-5000m	AC220V / 110V

Why choose us!

- **Strict quality control** - Our products have been accredited as being of the highest quality and the most trustworthy in the industry. Our products also have been highly acclaimed by our customers and by our business partners in Asia, Europe, and North America.
- **More than 25 years of experience** - We have been designing and manufacturing electronic equipment and devices. With the advancement of technology, a lot of things have changed. But we always stick to our way of serving our customers in a timely and wholehearted fashion.
- **Competitive prices** - We have been working very hard to improve our productivity while ensuring high quality. The prices of our various products are the most competitive on the market.

