

RED DOT SIGHTS

VECTOR OPTICS

FOR MOS PISTOLS



Frenzy 1x17x24 Red Dot Sight

3MOA Dot Size with 8 Levels & 2 NV Red Dot Intensity, Black Matte Finish
TEK Footprint w/ 4 Sets Screws, 50,000 Hours Battery Runtime for Weakest Visible Dot, IPX6 Water Proof, Take 9mm, 45ACP, 12GA and Lapua Magnum 338 Recoil
6061-T6 Aluminum Alloy Housing, Parallax Set @ 25 Yards, Premier Lens Coating
On/off Switches on Side, Complete User Control and 4 Hours Auto Shut-down

Window Lens Size: 24X17mm

Length: 46mm / 1.8"

Width: 32mm / 1.2"

Height: 35mm / 1.4"

Weight (net): 56g / 2.0oz

Eye Relief: Free

Field of View: 27°

Optics Coating: Multi coated

Parallax: ± 1.0 MOA 25 yards

Elevation Range: 45MOA

Windage Range: 45MOA

Dot Size: 3MOA

Dot Intensity: 8 levels & 2 night vision dot

Mounting: Picatinny

Battery: CR2032

Run time: 50,000 hours for the weakest visible dot

Finish: Black matte

For close-in work and general shooting

IPX6 water proof up to 1 meter depth for 30 minutes

Pistol application with Vector Optics TEK footprint

High quality aluminum alloy 6061 in durable black matte finish

Tested on 9mm pistol, 30-06 rifle and 12 GA shotgun

Package includes: retail package, weaver

mount, rubber lens cover, hex keys and cleaning cloth etc.

Fit: .9mm & .45 pistols , 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 5.56mm



Frenzy 1x17x24 Red Dot Sight Coyote FDE

3MOA Dot Size with 8 Levels & 2 NV Red Dot Intensity, FDE Coyote Finish
TEK Footprint w/ 4 Sets Screws, 50,000 Hours Battery Runtime for Weakest Visible Dot IPX6 Water Proof,
Take 9mm, 45ACP, 12GA and Lapua Magnum 338 Recoil
6061-T6 Aluminum Alloy Housing, Parallax Set @ 25 Yards, Premier Lens Coating On/off Switches on Side, Complete User Control and 4 Hours Auto Shut-down

Window Lens Size: 24X17mm

Length: 46mm / 1.8"

Width: 32mm / 1.2"

Height: 35mm / 1.4"

Weight (net):26g / 0.9oz

Eye Relief: Free

Field of View: 27°

Optics Coating: Multi Coated

Parallax:±1.0MOA @ 25 yards

Elevation Range: 45MOA

Windage Range: 45MOA

Dot Size: 3MOA

Dot Intensity: 8 levels & 2 night vision dot

Battery Runtime: 50,000 hours

Battery Type: CR2032

Footprint: Vector Optics TEK with 4 sets of different screws

Finish: Coyote FDE

For close-in work and general shooting

IPX6 water proof up to 1 meter depth for 30 minutes

Working Temperature: -20 to 55C

High quality aluminum alloy 6061 in durable black matte finish

Tested on 9mm pistol, 30-06 rifle and 12 GA shotgun

Package includes: retail package, screws, rubber lens cover, hex keys and cleaning cloth etc

Fit: .9mm & .45 pistols , 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



Frenzy 1x20x28 Red Dot Sight

The extra-large window size 20x28mm 0.8x1.1".

6061-T6 aluminum housing in rug construction light weight 56g 2.0oz, 3MOA dot size with 8 Levels & 2 NV red dot intensity, Weaver mount & compatible for VT footprint (can do TRI footprint too), >40,000 hours for NV dot & >20,000 hours for weakest visible dot IPX6 water proof up to 1 meter depth for 30 minutes Take 9mm, 45ACP, 12GA and Lapua Magnum 338 Recoil Clear lens with premier and protective coatings On/off switches on side, complete user control and 4 hours auto shut-down

Window Lens Size: 20x28mm (0.8x1.1")

Length: 46mm / 1.8"

Width: 32mm / 1.2"

Height: 35mm / 1.4"

Weight (net): 56g / 2.0oz

Eye Relief: Free

Optics Coating: Multi Coated

Parallax: ± 1.0 MOA 100 yds

Elevation Range: 45 MOA

Windage Range: 45 MOA

Dot Size: 3 MOA

Dot Intensity: 8 levels & 2 night vision dot

Mounting: Weaver, VT

Battery Type: CR2032

Battery Runtime: ≥ 20000 hours

Finish: Black matte

For close-in work and general shooting

Real water proof at 1 meter with 30 minutes IPX6

4 Hours Auto Shut Down

Pistol application for VT footprint, and can do TRI footprint too

High quality aluminum alloy 6061 T6 in durable black matte finish

>20,000 hours battery runtime (at weakest visible dot level)

Tested on 9mm Pistol, 338 Lapua Magnum rifle and 12 GA shotgun

Package includes: retail package, weaver mount, rubber lens cover, hex keys and cleaning cloth etc

Fit: .9mm & .45 pistols , 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



Frenzy 1x20x28 6MOA Red Dot Sight

The extra-large window size 20x28mm 0.8x1.1". You will see more!

6061-T6 aluminum housing in rug construction light weight 56g 2.0oz 6MOA dot size with 8 Levels & 2 NV red dot intensity

Weaver mount & compatible for VT footprint (can do TRI footprint too) >40,000 hours for NV dot & >20,000 hours for weakest visible dot

IPX6 water proof up to 1 meter depth for 30 minutes

Take 9mm, 45ACP, 12GA and Lapua Magnum 338 Recoil Clear lens with premier and protective coatings

On/off switches on side, complete user control and 4 hours auto shut-down

Window Lens Size: 20x28mm (0.8x1.1")

Length: 46mm / 1.8"

Width: 32mm / 1.2"

Height: 35mm / 1.4"

Weight (net): 56g / 2.0oz

Eye Relief: Free

Optics Coating: Multi Coated

Parallax: ± 1.0 MOA 100 yds

Elevation Range: 45 MOA

Windage Range: 45 MOA

Dot Size: 6 MOA

Dot Intensity: 8 levels & 2 night vision dot

Mounting: Weaver, VT

Battery Type: CR2032

Battery Runtime: ≥ 20000 hours

Finish: Black matte

For close-in work and general shooting

Real water proof at 1 meter with 30 minutes IPX6

4 Hours Auto Shut Down

Pistol application for VT footprint, and can do TRI footprint too

High quality aluminum alloy 6061 T6 in durable black matte finish

>20,000 hours battery runtime (at weakest visible dot level)

Tested on 9mm Pistol, 338 Lapua Magnum rifle and 12 GA shotgun

Package includes: retail package, weaver mount, rubber lens cover, hex keys and cleaning cloth etc

Fit: .9mm & .45 pistols , 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



Frenzy 1x22x26 MOS Red Dot Sight

The extra-large window size 22x26mm 0.85x1.0". You can see more!

Super slim profile only 7mm 0.3" height that won't block your pistol sights 6061-T6 aluminum housing in rug construction light weight 30g 1.0oz

3MOA dot size with 8 Levels & 2 NV red dot intensity Weaver mount & MOJ footprint compatible for tri. (can do other footprint too)

>40,000 hours for NV dot & >20,000 hours for weakest visible dot IPX6 water proof up to 1 meter depth for 30 minutes

Take 9mm, 45ACP, 12GA and Lapua Magnum 338 Recoil Clear lens with premier and protective multi coatings

Complete user control with motion sensor feature (2 minutes auto shut-off)

Window Size: 22x26

Overall Length: 49.5mm / 1.9 inch

Mount Length: 45mm / 1.8 inch

Width: 27.4mm / 1.1 inch

Body Profile: 7mm / 0.275 inch

Weight (net, without mount base): 30g / 1.0 ounce

Eye Relief: Free

Optics Coating: Multi Coated

Click Value: N/A

Dot Size : 3MOA

Elevation Range: 45 MOA

Windage Range: 45 MOA

Brightness Level: 8 Levels & 2 NV

Footprint: Vector Optics MOJ

Batter Type: CR2032

Mounting: 21mm weaver

Motion sensor / detection with 2 minutes auto shut-off feature

Pistol application for tri. footprint, and can do any other footprint too

High quality aluminum alloy 6061 T6 in durable black matte finish

>20,000 hours battery runtime (at weakest visible dot level)

Tested on 9mm Pistol, 338 Lapua Magnum rifle and 12GA shotgun

Package includes: retail package, 21mm weaver mount, rubber lens cover, hex keys and cleaning cloth etc

Fit: .9mm & .45 pistols , 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



Frenzy 1x22x26 AUT Red Dot Sight

The extra-large window size 22x26mm 0.85x1.0". You can see more!
 Super slim profile only 7mm(0.3") height that won't block your pistol sights 6061-T6 aluminum housing in rug construction light weight 30g (1.0oz)
 3MOA dot size with 8 Levels & 2 NV red dot intensity Weaver mount & MOJ footprint compatible for tri. footprint (can do VT footprint too)
 >40,000 hours for NV dot & >20,000 hours for weakest visible dot IPX6 water proof up to 1 meter depth for 30 minutes
 Take 9mm, 45ACP, 12GA and Lapua Magnum 338 Recoil Clear lens with premier and protective multi coatings
 On / off switches on side, complete user control and automatic light sensor

Window Size: 22x26

Overall Length: 49.5mm / 1.9 inch

Mount Length: 45mm / 1.8 inch

Width: 27.4mm / 1.1 inch

Body Profile: 7mm / 0.275"

Weight (net, without mount base): 30g / 1.0oz

Eye Relief: Free

Optics Coating: Multi coated

Click Value: N/A

Dot Size: 3MOA

Elevation Range: 45 MOA

Windage Range: 45 MOA

Brightness Level: 8 Levels & 2 NV & Automatic light sensor

Footprint: Vector Optics MOJ

Batter Type: CR2032

Mounting: 21mm weaver

Two modes: Press '+' more than 3 seconds to change the mode. Press '-'

' more than 3 seconds to turn off the sight

#Manual control (4 Hours Auto Shut Down)

#Automatic light sensor

Pistol application for tri. footprint, and can do VT or other famous footprint too

High quality aluminum alloy 6061 T6 in durable black matte finish

>20,000 hours battery runtime (at weakest visible dot level)

Tested on 9mm Pistol, 338 Lapua Magnum rifle and 12GA shotgun

Package includes: retail package, 21mm weaver mount, rubber lens cover, hex keys and cleaning cloth etc

Fit: .9mm & .45 pistols , 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



Frenzy 1x22x26 AUT Red Dot Sight Golden Finish

The extra-large window size 22x26mm 0.85x1.0". You can see more!

Auto-Light-Sensor and manual control of 8 Levels & 2 NV red dot intensity Super slim profile only 7mm(0.3") height that won't block your pistol front sights 6061-T6 aluminum housing in rug construction light weight 30g (1.0oz) 3MOA dot, golden finish, MOJ footprint compatible for tri. R-M-R footprint >50,000 hours for NV dot & >20,000 hours for weakest visible dot IPX6 water proof up to 1 meter depth for 30 minutes

Take 9mm, 45ACP, 12GA and Lapua Magnum 338 Recoil Clear lens with premier and protective multi coatings

On / off switches on side, complete user control and automatic light sensor

Window Size: 22x26

Overall Length: 49.5mm / 1.9 inch

Mount Length: 45mm / 1.8 inch

Width: 27.4mm / 1.1 inch

Body Profile: 7mm / 0.275"

Weight (net, without mount base): 30g / 1.0oz

Eye Relief: Free

Optics Coating: Multi coated

Click Value: N/A

Dot Size: 3MOA

Elevation Range: 45 MOA

Windage Range: 45 MOA

Brightness Level: 8 levels & 2 NV & Automatic light sensor

Footprint: Vector Optics MOJ

Batter Type: CR2032

Finish: Shinning golden

Two modes: Press '+' more than 3 seconds to change the mode. Press '-'

' more than 3 seconds to turn off the sight

#Manual control (4 Hours Auto Shut Down)

#Automatic light sensor

Pistol application for R-M-R footprint

High quality aluminum alloy 6061 T6 in durable black matte finish

>20,000 hours battery runtime (at weakest visible dot level)

Tested on 9mm Pistol, 338 Lapua Magnum rifle and 12GA shotgun

Package includes: retail package, rubber lens cover, hex keys and cleaning cloth etc

Fit: .9mm & .45 pistols , 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



Frenzy-S 1x17x24 MIC Red Dot Sight

The Lightest Full Metal Pistol Red Dot Sight in the World Only 18.4g 0.65oz Weight
 3MOA Dot Size, 8 Levels & 2 NV Red Dot, Slim & Low Profile, Snag-Free Design
 Complete User Control with Motion Sensor Feature (2 Minutes Auto Shut-Off)
 Standard Window Size 17x24mm 0.7x0.9", 1" 25.4mm Width, MAG Footprint
 50,000 Hours Battery Runtime for Weakest Visible Dot, IPX6 Water Proof, w/ Weaver Mount

Window Lens Size: 17x24mm / 0.7x0.9"

Length: 40.9mm / 1.6"

Width: 25.4mm / 1.0"

Height: 24mm / 0.9"

Weight (net): 18.4g / 0.65oz

Eye Relief: Free

Optics Coating: Multi Coated

Parallax: Free (<2MOA)

Parallax Setting: 25 yards

Adjustment Range: >45MOA

Dot Size: 3MOA

Dot Intensity: 8 Levels & 2 NV

Footprint: MAG

Working Temperature: -20~+55C

Housing Material: 6061-T6 aluminum alloy

Mount Material: 6061-T6 aluminum alloy

Battery Type: CR2032

Battery Runtime: 50,000 hours (weakest visible dot)

Finish: Black matte

Mounting: Weaver

For close-in work and general shooting

IPX6 water proof, shock proof to 1000g

Weaver mount made of aluminum alloy 6061 T6 in durable black matte finish

Designed for real fire arms and handguns

Package includes: retail package, weaver mount, rubber lens cover, hex keys, screws and cleaning cloth etc

Fit: .9mm & .45 pistols , 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



Frenzy-S 1x17x24 MIC Red Dot Sight FDE

The Lightest Weight Full Metal Pistol Red Dot Sight in the World Only 18.4g 0.65oz
3MOA Dot Size, 8 Levels & 2 NV Red Dot, Slim & Low Profile, Snag-Free Design
Complete User Control with Motion Sensor Feature (2 Minutes Auto Shut-Off)
Window Size 17x24mm 0.7x0.9", 1" 25.4mm Width, MAG Footprint w/ 4 Sets Screws
50,000 Hours Battery Runtime for Weakest Visible Dot, IPX6 Water Proof, FDE

Window Lens Size: 17x24mm / 0.7x0.9"

Length: 40.9mm / 1.6"

Width: 25.4mm / 1.0"

Height: 24mm / 0.9"

Weight (net): 18.4g / 0.65oz

Eye Relief: Free

Optics Coating: Multi Coated

Parallax: Free (<2MOA)

Parallax Setting: 25 yards

Adjustment Range: >45MOA

Dot Size: 3MOA

Dot Intensity: 8 Levels & 2 NV

Footprint: MAG compatible with RMS footprint

Working Temperature: -20~+55C

Housing Material: 6061-T6 aluminum alloy

Mount Material: 6061-T6 aluminum alloy

Battery Type: CR2032

Battery Runtime: 50,000 hours (the weakest visible dot)

Finish: FDE

Four sets different screws

For close-in work and general shooting

IPX6 water proof, shock proof to 1000g

Package includes: rubber lens cover kex keys, screws and cleaning cloth etc

Fit: .9mm & .45 pistols , 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



Frenzy-S 1x17x24 AUT BLK

The Lightest Full Metal Pistol Red Dot Sight in the World Only 18.4g (0.65oz)
3MOA Dot Size, Slim & Low Profile, Snag-Free Design, w/ Rear Sight Structure
Automatic Light Sensor, MAG Footprint Compatible for RMSc Footprint
Standard Window Size 17x24mm 0.7x0.9", 1" 25.4mm Width, 24mm / 0.9" Height
50,000 Hours Battery Runtime for the Weakest Visible Dot, IPX6 Water Proof

Window Lens Size: 17x24mm / 0.7x0.9"

Length: 40.9mm / 1.6"

Width: 25.4mm / 1.0"

Height: 24mm / 0.9"

Weight (net): 18.4g / 0.65oz

Eye Relief: Free

Optics Coating: Multi Coated

Parallax: Free (<2MOA)

Parallax Setting: 25 yards

Elevation Range: >45MOA

Windage Range: >45MOA

Dot Size: 3MOA

Dot Intensity: Automatic

Footprint: MAG (RMSc)

Working Temperature: -20~+55C

Housing Material: 6061-T6 aluminum alloy

Battery Type: CR2032

Battery Runtime: >50,000 hours (weakest visible dot)

Finish: Black matte

For close-in work and general shooting

IPX6 water proof (1 meter depth water for 30 min), shock proof to 1000g

Designed for real firearms and handguns

Package includes: retail package, rubber lens cover, hex keys, screws and cleaning cloth etc

Fit: .9mm & .45 pistols, 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



Frenzy-S 1x17x24 AUT FDE

The Lightest Full Metal Pistol Red Dot Sight in the World Only 18.4g 0.65oz
3MOA Dot Size, Slim & Low Profile, Snag-Free Design, w/ Rear Sight Structure
Automatic Light Sensor, MAG Footprint Compatible for RMSc Footprint
Standard Window Size 17x24mm 0.7x0.9", 1" 25.4mm Width, 24mm / 0.9" Height
50,000 Hours Battery Runtime for the Weakest Visible Dot, IPX6 Water Proof

Window Lens Size: 17x24mm / 0.7x0.9"

Length: 40.9mm / 1.6"

Width: 25.4mm / 1.0"

Height: 24mm / 0.9"

Weight (net): 18.4g / 0.65oz

Eye Relief: Free

Optics Coating: Multi Coated

Parallax: Free (<2MOA)

Parallax Setting: 50 yards

Elevation Range: >45MOA

Windage Range: >45MOA

Dot Size: 3MOA

Dot Intensity: Automatic

Footprint: MAG (RMSc)

Working Temperature: -20~+55C

Housing Material: 6061-T6 aluminum alloy

Battery Type: CR2032

Battery Runtime: >50,000 hours (weakest visible dot)

Finish: FDE matte

For close-in work and general shooting

IPX6 water proof, shock proof to 1000g

Designed for real firearms and handguns

Package includes: retail package, rubber lens cover, hex keys, screws and cleaning cloth etc

Fit: .9mm & .45 pistols , 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



Frenzy-S 1x17x24 AUT Chrome Finish

The Lightest Full Metal Pistol Red Dot Sight in the World Only 19.1g (0.67oz)
 3MOA Dot Size, Slim & Low Profile, Snag-Free Design, Chrome Plated Finish
 Automatic Light Sensor, MAG Footprint Compatible for RMSc Footprint
 Standard Window Size 17x24mm 0.7x0.9", 1" 25.4mm Width, 24mm / 0.9" Height
 >50,000 Hours Battery Runtime for Weakest Visible Dot, IPX6 Water Proof

Window Lens Size: 17x24mm / 0.7x0.9"

Length: 40.9mm / 1.6"

Width: 25.4mm / 1.0"

Height: 24mm / 0.9"

Weight (net): 19.1g / 0.67oz

Eye Relief: Free

Optics Coating: Multi Coated

Parallax: Free (<2MOA)

Parallax Setting: 50 yards

Elevation Range:>45MOA

Windage Range:>45MOA

Dot Size: 3MOA

Dot Intensity: Automatic

Footprint: MAG (RMSc)

Working Temperature: -20~+55C

Housing Material: 6061-T6 aluminum alloy

Battery Type: CR2032

Battery Runtime: >50,000 hours (weakest dot)

Finish: Chrome plated


For close-in work and general shooting

IPX6 water proof, shock proof to 1000g

Designed for real fire arms and handguns

Package includes: retail package, rubber lens cover, hex keys, screws and cleaning cloth etc

Fit: .9mm & .45 pistols , 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



Frenzy-S 1x17x24 AUT Gold Plated

The Lightest Full Metal Pistol Red Dot Sight in the World Only 19.1g (0.67oz)
 3MOA Dot Size, Slim & Low Profile, Snag-Free Design, Gold Plated Finish
 Automatic Light Sensor, MAG Footprint Compatible for RMSc Footprint
 Standard Window Size 17x24mm 0.7x0.9", 1" 25.4mm Width, 24mm / 0.9" Height
 >50,000 Hours Battery Runtime for Weakest Visible Dot, IPX6 Water Proof

Window Lens Size: 17x24mm / 0.7x0.9"

Length: 40.9mm / 1.6"

Width: 25.4mm / 1.0"

Height: 24mm / 0.9"

Weight (net): 19.1g / 0.67oz

Eye Relief: Free

Optics Coating: Multi Coated

Parallax: Free (<2MOA)

Parallax Setting: 50 yards

Elevation Range:>45MOA

Windage Range:>45MOA

Dot Size: 3MOA

Dot Intensity: Automatic

Footprint: MAG (RMSc)

Working Temperature: -20~+55C

Housing Material: 6061-T6 aluminum alloy

Battery Type: CR2032

Battery Runtime: >50,000 hours (weakest dot)

Finish: Gold plated

For close-in work and general shooting

IPX6 water proof, shock proof to 1000g

Designed for real fire arms and handguns

Package includes: retail package, rubber lens cover, hex keys, screws and cleaning cloth etc

Fit: .9mm & .45 pistols , 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



Frenzy-S 1x16x22 AUT Red Dot Sight

Maybe the Lightest Pistol Red Dot Sight in the World Only 12.4g 0.44oz Weight
Engineering Polymer Housing in Rug Construction Designed for Real Firearms
Standard Window Size 16x22mm 0.6x0.9", Automatic Light Sensor, MAG-S Footprint
50,000 Hours for Weakest Visible Dot, IPX4 Water Resistant, w/ Weaver Mount

Window Lens Size: 16x22mm / 0.6x0.9"

Length: 40.8mm / 1.6"

Width: 25.4mm / 1.0"

Height: 23mm / 0.9"

Weight (net, without base mount): 12.4g / 0.44oz

Eye Relief: Free

Optics Coating: Multi Coated

Parallax: Free (<2MOA)

Parallax Setting: 50 yards

Adjustment Range: >45MOA

Dot Size: 3MOA

Dot Intensity: Automatic

Footprint: MAG-S

Working Temperature: -20~+55C

Housing Material: Polymer

Mount Material: Aluminum 6061-T6

Battery Type: CR2032

Runtime: 50000 hours

Finish: Black matte

Mounting: Weaver

For close-in work and general shooting

IPX4 water resistant, shock proof to 1000g

Weaver mount made of aluminum alloy 6061 T6 in durable black matte finish

Designed for real fire arms and handguns

Package includes: retail package, weaver mount, rubber lens cover, hex keys and cleaning cloth etc

Fit: .9mm & .45 pistols , 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



VECTOR OPTICS



Sable 1x25x34 Red Dot Sight

Quick Release 21mm Picatinny Mount, Four Kinds of Reticles
Red & Green, Design for Real Fire Arms, Digital Switch Control

Lens Size: Tubeless Sight Window 25x34mm

Exit Pupil: 25-24mm

Overall Length: 82mm (3.2 inch)

Width: 40mm (1.5 inch)

Height: 48mm (1.9 inch)

Height with QD mount: 66mm (2.6 inch)

Weight (net): 140g (4.9 ounce)

Eye Relief: Free

Optics Coating: Multi coated

Brightness levels: 6 levels red and green

Parallax: 1 MOA at 80 meters

Elevation Range: 60 MOA

Windage Range: 60 MOA

Battery Type: CR2032

Digital two sides switches for red or green color dot

Reticle: Four kinds of reticles; reticle exchange with audible click

Feature 1 MOA (50 Yards) windage and elevation

Shock proof, Rain Proof and Fog Proof

6 levels brightness for green and red color. Press three seconds to shut down the sight

High quality aluminum alloy in durable black matte finish

With reticle lock feature

Integrated 21mm picatinny quick release mount

To exchange battery:

- Use coin to release the cap

- Take out the used battery

- Exchange with 1 pc CR2032 battery

- Refasten the cap again

Free fitting: Gift package, hex keys and cleaning cloth

Fit: .223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



Scraper 1x25 Red Dot Sight

>50,000 Hours Battery Runtime, Motion Sensor Feature, IP67 Water Proof, Parallax <1 MOA
 Direct Bulb 2MOA Dot Size without Flicker, 8 Levels Dot Intensity & 2 NV Dot Intensity
 1MOA Adjustment with Audible Click, More Than 45MOA Adjustment Range
 With Low & Riser Picatinny Weaver Mount, Absolute Co-witness, w/ Rubber Lens Cap
 Compact, Solid and Light Weight for All Application Tactics, Hunting & Sporting

Window Lens Size: 25mm / 1.0"

Overall Length: 70mm / 2.7"

Mount Length: 56mm / 2.2"

Overall Width: 46mm / 1.8"

Overall Height: 70mm / 2.7"

Weight (net): 190g / 6.7oz

Eye Relief: Free

Optics Coating: Multi Coated

Parallax: <1MOA @ 100 yards

Parallax Setting: 100 yards

Elevation Range: >45MOA

Windage Range: >45MOA

Dot Size: 2MOA

Dot Intensity: 8 levels + 2 NV levels

Mounting Tolerance: 2MOA

Working Temperature: -20~+50°C

Material: Aluminum alloy

Battery Type: CR2032

Runtime: >50,000 hour weakest visible dot

Finish: Black matte

Mounting: Weaver & picatinny

For close-in work and all application tactics, hunting & sporting

Motion sensor, 2 minutes auto shut-off, smart awake feature even slight moving

IPX6 water proof (1 meter 30 minutes), shock proof to 800G 500 circles

Weaver mount made of aluminum alloy 6061 T6 in durable black matte finish

Package includes: retail package, low & riser weaver mount, rubber lens cover, hex keys and cleaning cloth
 etc

Fit: .9mm & .45 pistols , 223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



Centurion 1x20 Red Dot Sight

50,000 Hours Runtime, 3MOA Dot Size, AAA Battery, 7 Levels Dot Intensity & 1 NV Dot, Low and QD Riser Picatinny Mount, w/ Lens Cap

Window Lens Size: 20mm
Length: 69mm (2.7")
Width: 37mm (1.45")
Height: 36mm 1.4" (center dot to base)
Weight (net): 175g 6.2oz
Eye Relief: Free

Optics Coating: Multi Coated
Parallax: ± 1.0 MOA 100 yds
Elevation Range: 60 MOA
Windage Range: 60 MOA
Dot Size: 3 MOA
Dot Intensity: 7 levels & 1 night vision dot
Mounting: Picatinny
Battery: 1 pc AAA
Run time: ≥ 40000 hours (weak brightness)
Finish: Black matte by painting
For close-in work and general shooting
Pressing front button (close to objective lens) to turn on the sight and increase the dot intensity.
Pressing rear button will decrease the dot intensity.
Pressing either button more than 3 seconds will turn off the sight
Water resistant
High quality aluminum alloy 6061 casting in durable black matte finish
 $>40,000$ hours battery runtime (at weakest visible dot level)
Tested on 7.62x51mm ammo
Package includes: retail package, picatinny mount, rubber lens cover, hex keys and cleaning cloth etc
Fit: .223 .308 7.62 .3006 .300win, 12G, 20G, 177 .22 .25 Spring Airgun



