

CANIK
SUPERIOR HANDGUNS

**PROUDLY
ON DUTY!**



INTRODUCTION

Based near the mountain bearing its name, which in ancient times signified a place for protection, Canik has become a world leading firearm manufacturer over less than a decade. Thanks to its background of manufacturing high grade components for aerospace industry, Canik has been able to meticulously develop and produce TP series high quality polymer pistols which have been selected by the Turkish Presidency of Defense Industries in January 2018, within the 'original and indigenous pistol project' to equip Turkish military and law enforcement forces. Canik TP series pistols having proven themselves in many gruesome accuracy, durability and reliability tests, have earned the title METE and have now become the service pistols of the military and law enforcement forces, including Special Forces and SWAT units.





PROVIDING SECURITY REQUIRES PROFESSIONALITY

In a life-threatening situation, your handgun may be the only factor that stands between life and death. That is why as Canik we strive to meticulously design and manufacture innovative and high-quality handguns that will best serve our customers, be they military, law enforcement or civilian, in every possible condition. Our TP-9 METE series pistols stand as the culmination of all our efforts to provide the best handgun you can always rely on any mission profile.

Canik TP-9 METE series pistols. Superior handguns that can trust with your life.

CONTENT

01

METE SERIES

- GENERAL FEATURES
- STANDART PACKAGE

02

METE SERIES

- TP9 Sfx METE

03

METE SERIES

- TP9 SFT METE

04

METE SERIES

- TP9 SF METE

05

METE SERIES

- TP9 SF METE-S

06

METE SERIES

- TP9 SUB METE

07

TRAINING PISTOL SERIES

- TP9 SIMUNITION®
PISTOL

08

TRAINING PISTOL SERIES

- TP9 PRACTICE
PISTOL

METE SERIES PISTOLS



□ TP9 Sfx METE

TRAINING PISTOLS



□ TP9 SIMUNITION® PISTOL



□ TP9 SFT METE



□ TP9 PRACTICE PISTOL



□ TP9 SF METE



□ TP9 SF METE-S



□ TP9 SUB METE

GENERAL FEATURES

METE family handguns are semi-automatic, polymer framed, striker fired, SAO pistols, operating on proven standard short recoil - locked breech principle.

In order to operate in the harshest conditions in which the real world tactical situations may unfold, including extreme hot and cold weather, dirty, sandy, and dusty environments, all METE family pistols are expected to meet the highest standards in terms of reliability, durability and accuracy. Therefore all pistols come with external Tenifer or Cerakote over Tenifer finish, and in addition have their internal firing components nickel plated to ensure smooth operation, corrosion resistance and durability with a service life of well above of 50.000 rounds. Moreover METE family pistol members are designed and produced to display an exceptional level accuracy with less than 10 cm of bullet dispersion at 25 meters.

STANDARD PACKAGE

- Service Holster with Paddle Attachment
- Micro Type Polymer Optic Interface
- Backstrap - Large Size
- 2 Spare Magazine
- Magazine Loader
- Cleaning Kit

All pistols are equipped with an internal accessory picatinny rail [Mil-Std-1913] under the barrel and Micro Red-Dot interface with Co-Witness feature on the slide to be able to carry various accessories to meet changing operational requirements and different operator preferences. All METE pistols (except for SUB METE) can be installed with a Mag-Well to allow faster reloading and improve the grip. Eventhough they come in different sizes, METE family pistols are fully ambidextrous, all have a common trigger weight, same trigger to grip distance and trigger travel distance and reset distance as well as slide and magazine catches positioned in the same place, allowing the shooters to transition easily between different models without impairing their gun handling and shooting techniques.

TP9 SFX **METE**

SHIELD® SMS MODEL
REFLEKS (RED-DOT)

ArmBrace®
BUTTSTOCK

BLACK
FDE

OLIGHT®
TACTICAL FLASH LIGHT

· PL-2
· PL-2 RL
· PL-MINI
· PL-MINI 2

A-TEC®
SUPPRESSOR

· PMM-2
· PMM-3
· PMM-4
· PMM-5
· PMM-6

FRONTLINE®
LEVEL 3 MID-RIDE
TACTICAL HOLSTER
COMPATIBLE WITH
FLASHLIGHT


BLACK
FDE

FEATURES

- TRUGLO Tritium Night Sights
- Reversible Magazine Catch
- MIL-STD-1913 Picatinny Rail
- Interchangeable Backstrap (2 sizes)
- Loaded Chamber Indicator
- Striker Status Indicator
- Micro Reddot Ready
- Mag-Well

These full size, long-barrel pistols, equipped with TRUGLO Tritium Night Sights for ease of aiming at night, and capable of mounting a suppressor, are ideal for the operators providing security for critical infrastructures, facilities, buildings and resources. In the same vein, they are an excellent choice for uniformed law enforcement officers on every day patrol duty and SWAT/HRT members in critical operations. They come with standard 18 and two 20 rounds high capacity magazines so that the operator does not have to reload frequently in the thick of a firefight.

Ambidextrous
Slide Stop



Interchangeable
Mag-well
ready backstrap



Side Changeable
Magazine Catch
W/ three sizes



Striker Status
Indicator



Loaded Chamber
Indicator



SPECIFICATIONS

Manufacturer	CANIK	Model	TP9SFX METE
Caliber	9 x 19 mm	Trigger Weight	2-2,5 kg
Magazine Capacity	18 rds	Firing System	Semi-Auto Striker Fired
Barrel Length (mm/inch)	146 mm / 5.75"	Safety Systems	· Firing Pin Block · Trigger Safety
Length (mm/inch)	225 mm / 8.86"	Sights	· Drift Adjustable Metal Sights (Optional) · Drift Adjustable Night Sights
Height (mm/inch)	146.5 mm / 5.76"	Other Contents	· 2 Spare 20 rds Magazine · Magazine Loader · Cleaning Kit · User Manual
Width (mm/inch)	37 mm / 1.46"		
Weight (gr/ounces)	866 gr ± 4 gr / 30.55 ounces ± 0.14 ounces (w/ empty magazine, threaded barrel & mag-well)		
Frame	Polymer with Metal Inserts		
Action Type	SA0		

TP9 SFT **METE**

SHIELD® SMS MODEL
REFLEKS (RED-DOT)

ArmBrace®
BUTTSTOCK

BLACK
FDE

OLIGHT®
TACTICAL FLASH LIGHT

· PL-2
· PL-2 RL
· PL-MINI
· PL-MINI 2

A-TEC®
SUPPRESSOR

· PMM-2
· PMM-3
· PMM-4
· PMM-5
· PMM-6

FRONTLINE®
LEVEL 3 MID-RIDE
TACTICAL HOLSTER
COMPATIBLE WITH
FLASHLIGHT

BLACK
FDE

FEATURES

- TRUGLO Tritium Night Sights
- Reversible Magazine Catch
- MIL-STD-1913 Picatinny Rail
- Interchangeable Backstrap (2 sizes)
- Loaded Chamber Indicator
- Striker Status Indicator
- Micro Reddot Ready
- Mag-Well

LOW PROFILE,
TWO - SIDED (IWB, OWB) v

BLACK
FDE

These full size pistols, equipped with TRUGLO Tritium Night Sights for ease of aiming at night, and capable of mounting a suppressor, are just like SFX METE ideal for the security guards for critical infrastructures, facilities, buildings and resources. Similarly they are designed to be a service pistol par excellence not only for uniformed law enforcement officers on every day patrol duty and SWAT/HRT members in critical operations, but also for military personnel in combat zones. They come with standard 18 and two 20 rounds high capacity magazines so that the operator does not have to reload frequently in the thick of a firefight.

Ambidextrous
Slide Stop



Interchangeable
Mag-well
ready backstrap



Side Changeable
Magazine Catch
W/ three sizes



Striker Status
Indicator



Loaded Chamber
Indicator



SPECIFICATIONS

Manufacturer	CANIK	Model	TP9SFT METE
Caliber	9 x 19 mm	Trigger Weight	2-2.5 kg
Magazine Capacity	18 rds	Firing System	Semi-Auto Striker Fired
Barrel Length (mm/inch)	127 mm / 5.00"	Safety Systems	· Firing Pin Block · Trigger Safety
Length (mm/inch)	205 mm / 8.07"	Sights	· Drift Adjustable Metal Sights (Optional) · Drift Adjustable Night Sights
Height (mm/inch)	146.5 mm / 5.76"	Other Contents	· 2 Spare 20 rds Magazine · Magazine Loader · Cleaning Kit · User Manual
Width (mm/inch)	37 mm / 1.46"		
Weight (gr/ounces)	815 gr / 28.75 ounces (W/ empty magazine & threaded barrel w/o mag-well)		
Frame	Polymer with Metal Inserts		
Action Type	SA0		

TP9 SF METE

SHIELD® SMS MODEL
REFLEKS (RED-DOT)

ArmBrace®
BUTTSTOCK

BLACK
FDE

OLIGHT®
TACTICAL FLASH LIGHT
· PL-2
· PL-2 RL
· PL-MINI
· PL-MINI 2

A-TEC®
SUPPRESSOR
· PMM-2
· PMM-3
· PMM-4
· PMM-5
· PMM-6

FRONTLINE®
LEVEL 3 MID-RIDE
TACTICAL HOLSTER
COMPATIBLE WITH
FLASHLIGHT
BLACK
FDE

LOW PROFILE,
TWO - SIDED (IWB, OWB)
BLACK
FDE

FEATURES

- Reversible Magazine Catch
- MIL-STD-1913 Picatinny Rail
- Interchangeable Backstrap (2 sizes)
- Loaded Chamber Indicator
- Striker Status Indicator
- Micro Reddot Ready
- Interchangeable Mag-Well Ready Backstrap

Compact size pistols, especially designed to meet the requirements of special forces operators who need high mobility and configurability in the execution of direct action type missions (raids and small scale attacks) aimed at either capturing high value persons and assets or neutralizing them. They come with 15 and two 18 rounds magazines.

Ambidextrous
Slide Stop




Side Changeable
Magazine Catch



Striker Status
Indicator



Loaded Chamber
Indicator



SPECIFICATIONS

Manufacturer	CANIK	Model	TP9SF METE
Caliber	9 x 19 mm	Trigger Weight	2-2,5 kg
Magazine Capacity	15 rds	Firing System	Semi-Auto Striker Fired
Barrel Length (mm/inch)	103,5 mm / 4.08"	Safety Systems	· Firing Pin Block · Trigger Safety
Length (mm/inch)	182 mm / 7.17"	Sights	· Drift Adjustable Metal Sights · Drift Adjustable Night Sights (Optional)
Height (mm/inch)	133,5 mm / 5.26"	Other Contents	· 2 Spare 18 rds Magazine · Magazine Loader · Cleaning Kit · User Manual
Width (mm/inch)	37 mm / 1.46"		
Weight (gr/ounces)	745 gr = 4 gr / 26,28 ounces = 0,14 ounces (w/ empty magazine w/o threaded barrel)		
Frame	Polymer with Metal Inserts		
Action Type	SAO		

TP9 SF METE-S

SHIELD® SMS MODEL
REFLEKS (RED-DOT)

ArmBrace®
BUTTSTOCK

BLACK
FDE

OLIGHT®
TACTICAL FLASH LIGHT

· PL-2
· PL-2 RL
· PL-MINI
· PL-MINI 2

A-TEC®
SUPPRESSOR

· PMM-2
· PMM-3
· PMM-4
· PMM-5
· PMM-6

FRONTLINE®
LEVEL 3 MID-RIDE
TACTICAL HOLSTER
COMPATIBLE WITH
FLASHLIGHT

BLACK
FDE

FEATURES


LOW PROFILE,
TWO - SIDED (IWB, OWB)

BLACK
FDE

- Reversible Magazine Catch
- MIL-STD-1913 Picatinny Rail
- Interchangeable Backstrap (2 sizes)
- Loaded Chamber Indicator
- Striker Status Indicator
- Micro Reddot Ready
- Interchangeable Mag-Well Ready Backstrap

Compact size pistols, especially designed to meet the requirements of special forces operators who need high mobility and configurability in the execution of direct action type missions (raids and small scale attacks) aimed at either capturing high value persons and assets or neutralizing them. They come with 15 and two 18 rounds magazines.

Ambidextrous
Slide Stop



Side Changeable
Magazine Catch



Striker Status
Indicator



Loaded Chamber
Indicator



Manuel
Safety



SPECIFICATIONS

Manufacturer	CANIK	Model	TP9SF METE
Caliber	9 x 19 mm	Trigger Weight	2-2,5 kg
Magazine Capacity	15 rds	Firing System	Semi-Auto Striker Fired
Barrel Length (mm/inch)	103,5 mm / 4.08"	Safety Systems	· Firing Pin Block · Trigger Safety
Length (mm/inch)	182 mm / 7.17"	Sights	· Drift Adjustable Metal Sights · Drift Adjustable Night Sights (Optional)
Height (mm/inch)	133,5 mm / 5.26"	Other Contents	· 2 Spare 18 rds Magazine · Magazine Loader · Cleaning Kit · User Manual
Width (mm/inch)	37 mm / 1.46"		
Weight (gr/ounces)	745 gr = 4 gr / 26,28 ounces = 0,14 ounces (w/ empty magazine w/o threaded barrel)		
Frame	Polymer with Metal Inserts		
Action Type	SAO		

TP9 SUB METE

SHIELD® SMS MODEL
REFLEKS (RED-DOT)

A-TEC®
SUPPRESSOR

- PMM-2
- PMM-3
- PMM-4

OLIGHT®
TACTICAL FLASH LIGHT
· PL-MINI 2

LOW PROFILE,
TWO - SIDED (IWB, OWB)


BLACK
FDE

FEATURES

- Reversible Magazine Catch
- MIL-STD-1913 Picatinny Rail
- Interchangeable Backstrap (2 sizes)
- Loaded Chamber Indicator
- Striker Status Indicator
- Micro Reddot Ready

This most recent addition to METE family pistols is conceived with the needs of intelligence operatives and/or special forces operators in mind. Its sub compact size help operatives and operators to keep a low profile and blend in with the civilian population in the execution of their clandestine or covert intelligence gathering, preparation of the battlefield or direct action or foreign internal defense type missions. Designed to be snag free for better concealment and faster draw, it also possess the all exceptional features of the bigger member of METE family: Thanks to its double stack sub compact frame, it has high round capacity (12 rounds standart, 15 & 18 rounds in addition as accessory) and with its advanced telescopic spring recoil management system it has a remarkable accuracy.

Ambidextrous
Slide Stop



Finger Rest
Magazine



Side Changeable
Magazine Catch



Striker Status
Indicator



Loaded Chamber
Indicator



SPECIFICATIONS

Manufacturer	CANIK	Model	TP9 SUB METE
Caliber	9 x 19 mm	Trigger Weight	2-2,5 kg
Magazine Capacity	12 rds	Firing System	Semi-Auto Striker Fired
Barrel Length (mm/inch)	91,5 mm / 3,60"	Safety Systems	· Firing Pin Block · Trigger Safety
Length (mm/inch)	170 mm / 6,70"	Sights	· Drift Adjustable Metal Sights · Drift Adjustable Night Sights (Optional)
Height (mm/inch)	117mm / 4,60"	Other Contents	· 2 Spare Magazine (One 12 rds, One 15 rds)
Width (mm/inch)	37 mm / 1,45"		· Magazine Loader
Weight (gr/ounces)	695 gr = 4 gr / 24,5 ounces = 0,14 ounces (w/ empty magazine W/O threaded barrel)		· Cleaning Kit
Frame	Polymer with Metal Inserts		· User Manual
Action Type	SA0		· 2 Flat Bottom Plate



TRAINING PISTOLS

As Canik we are well aware that in order to make the most of her superior Canik handgun a shooter has to hone her shooting and handling skills by training constantly and realistically. Our simmunition kits and practice pistols are available to train in the safest and the most efficient way possible.

With Canik training pistols you can train as you shoot.



SIMUNITION® PISTOL



Available with different cartridges for different purpose



APPLICATIONS

- Basic firearms familiarisation and skill development
- Tactical scenarios
- Individual and team situations
- Counter-terrorism
- Close-quarter battle (CQB)
- Urban fighting (MOUT/FIBUA)
- VIP Protection

ADVANTAGES

- Easy-to-install
- Designed to fit user's own service weapons
- Designed to preclude the inadvertent chambering of duty ammunition
- Conversion barrels made of high-quality steel
- Tool-free conversion of most weapons
- Weapons can be quickly converted back to duty status
- Near-normal weapon recoil
- Training with interactive, video-based simulator systems, multiple integrated laser engagement systems and K-9 training team with SecuriBlank®
- Safe force-on-force, interactive, live-fire scenarios for training with FX®
- Marking Cartridges
- Available for most popular weapons

As Canik, we know how realistic training is vital for the operators in the field. Therefore, in order to provide the most effective reality based, close-range training system, we have teamed up with Simunition®, the pioneer and world leader in providing military, law enforcement and approved range members with the most realistic and non-lethal force-on-force, short-range, simulation training system.

Canik TP9/TP9 METE Series Simunition® Conversion kits allow the FX® Marking Cartridges and the SecuriBlank® cartridges to be fired safely from the user's own service pistol. These easy-to-install kits help preclude the inadvertent chambering of live ammunition and ensure the proper operation and cycling of the pistol. They are an integral part of the FX® training system along with the FX® marking cartridges and the FX® protective equipment.

CANIK SIMUNITION PISTOLS ARE COMPATIBLE WITH ALL CANIK OFFICIAL ACCESSORY

Side Changeable Magazine Catch



Striker Status Indicator



Loaded Chamber Indicator



Ambidextrous Slide Stop



□ PRACTICE PISTOL



Mastering the handling of your handgun and improving your shooting skills require constant training and without a doubt, dry fire drill where you practice your handgun manipulations without the presence of live ammunition is one of the easiest, the safest, and the most efficient way of practicing with your firearm.

Bearing this in mind, Canik has designed and developed TP-9/METE series practice pistols for every kind of dry fire drill. These pistols are totally identical to reference TP-9/METE series pistols in weight, size, and handling characteristics except for any firing capability, thus totally eliminating any risk of accidental discharge that may result in death or injury. Since they have the same grip, loading and unloading mechanisms, sight alignment, trigger weight, and disassembly procedure as the TP-9/METE series pistols, they can be used in every aspect of an advanced shooter's training routine.

There is no safer and more efficient way of becoming a better shooter than training with TP-9/METE series practice pistols.

AVAILABLE MODELS

• TP9 Sfx METE • TP9 SF METE • TP9 SUB METE
• TP9 SFT METE • TP9 SF METE-S

CANIK PRACTICE PISTOLS ARE COMPATIBLE WITH ALL CANIK OFFICIAL ACCESSORY

Closed firing pin
hole for disable
unintended fire



Chamber
Witness Hole



Ambidextrous
Slide Stop



Identical
Dummy Barrel



Side Changeable
Magazine Catch



Striker Status
Indicator



Loaded Chamber
Indicator



FEATURES

- Reversible Magazine Catch
- MIL-STD-1913 Picatinny Rail
- Interchangeable Backstrap (2 sizes)
- Loaded Chamber Indicator
- Striker Status Indicator
- Micro Reddot Ready

CANIKTEAM

CANIKNEWS

CANIKTECH

CANIK

SUPERIOR HANDGUNS

www.armour.gr