





MESSAGE FROM THE PRESIDENT

Excellence is not born from complacency. It is the fruit of hard work and determination. It is nurtured by breakthrough thinking and emboldened by an unwavering commitment to continual improvement. Within the walls of our new, state-of-the-art 200,000-square-foot manufacturing facility in Bainbridge, GA, Taurus USA has amassed the technology, the expertise and the passion to offer world-class innovation at a truly unprecedented price point.

But you'll find no room for complacency here. As consumer demand for firearms reached unprecedented levels in 2020, we resoundingly answered the call by increasing our U.S. based manufacturing capacity to meet our customers' ongoing needs. We also significantly improved our Customer Service and Warranty Repair processes—resulting in the shortest warranty turnaround time in our long-standing history.

In addition, we introduced a number of new and innovative firearms focused on the unique, real-world demands our valued end users. The launch of the striker-fired Taurus® G3 and Taurus® G3c, for example, offered consumers budget-friendly access to next-level function, reliability and durability in either a full-size or compact personal defense handgun. Several other new products were unveiled in 2020 that gave our consumers more feature-based, benefit-driven options such as the versatile Taurus® 942 8-shot 22LR/22WMR revolver and the ultra-rugged Taurus® 856 Defender 38 Special +P revolver with 3" barrel and front night sight.

From groundbreaking product design and engineering to enhanced quality control to a stringent focus on customer satisfaction, we continue to deliver unmatched value as the industry's undisputed price leader. In fact, no other firearm manufacturer offers such an advanced level of new product innovation with intuitive, user-demanded features and functionality built right in at such a competitive cost. Our product engineers, designers and quality control experts work together seamlessly to ensure excellence is integrated into everything we do as we continually bring to market the most innovative and most affordable firearms ever conceived.

As we enter 2021, we anticipate the strong demand within our industry to continue—and we have securely positioned ourselves to deliver affordable, feature-driven firearms backed by our Lifetime Limited Warranty and unparalleled customer service. We are excited to launch several new additions to the Taurus® line throughout 2021 that will not only address key product categories and price points, but are sure to set new standards in overall firearm design, quality and value.

Welcome to the new Taurus®. We look forward to taking this next step in our journey with you.

A handwritten signature in black ink, appearing to read 'Bret Vorhees', is positioned above the printed name.

Bret Vorhees | Taurus USA President and CEO

NEW

MAY
2021

TAURUS
GX4™

Item No: 1-GX4M931

2021 TAURUS® CATALOG CONTENTS

Taurus® Pistols	6
All-new Taurus GX4™	8
TaurusTX™ 22 Competition	12
TaurusTX™ 22	14
All-new TORO	16
Taurus® G3c	18
Taurus® G3	20
Taurus® TH Series	22
Taurus® G2c	24
Taurus® G2s	26
Jessie Harrison	28
Taurus 1911™	30
Taurus® 92	34
Taurus® 22 Poly	35
Taurus® Revolvers	36
Taurus® 942	38
Raging Hunter™	40
Raging Hunter™ 460	42
Taurus® 856 Series	44
Taurus® 380	50
Taurus® 905	51
Taurus® 605	52
Taurus® 608	53
Taurus® 44	54
Taurus® 82	55
Taurus® 65	56
Taurus® 66	57
Taurus Tracker® Series	58
Taurus Judge® Series	62
Specs	66
Partners	79



Item No:
1-TX22141



Item No:
1-G3C931



Item No:
1-G3941T

PISTOLS

Item No:
1-G2C939-10

Item No:
1-G2C931-10

Item No:
1-TH9041

Item No:
1-G2S931C

NEW

MAY
2021





TAURUS GX4™

MICRO-COMPACT 9MM | 18.5 OZ. | 3" BARREL | 11 ROUNDS



**A LEVEL OF
DISTINCTION
ALL ITS OWN.**

With the introduction of our first-ever micro-compact 9mm, the all-new **Taurus GX4™** boldly outclasses anything else in its class—reaching unprecedented new heights in concealed carry firearm engineering, ergonomics and innovation. On the outside, there can be no doubt that every streamlined inch of this rugged striker-fired semi-auto was meticulously crafted for EDC readiness and reliability. While a game-altering combination of full-sized capacity, accuracy and power resides within its ultra-concealable one-inch-wide reinforced frame. The exceptionally affordable **Taurus GX4™** is backed by our Limited Lifetime Warranty and industry leading customer service for added peace of mind when it matters the most.



GAS NITRIDE SLIDE
TREATMENT

EASY TAKE DOWN PIN

DLC-COATED BARREL

SIGNATURE INDEXING &
RECOIL MANAGEMENT
PAD (RMP)

TWO BACKSTRAP
OPTIONS

FLAT FACE TARGET
TRIGGER & TRIGGER
SAFETY BLADE

TEFLON-COATED
OPERATIONAL CONTROL
PARTS

CUT IN
MAGAZINE
AND GRIP

STEEL RECOIL ROD

TAURUS
GX4™



PREPARE + PROTECT

TaurusGX4.com

Caliber: 9mm Luger
Capacity: 11
Magazines: 2x11
Firing System: Striker
Frame: Microcompact
Grip: Polymer
Slide: Alloy Steel
Barrel Finish: Satin Black DLC Coating
Slide Finish: Gas Nitride Coating

Barrel Length: 3.06 in.
Overall Length: 6.05 in.
Overall Width: 1.08 in.
Overall Height: 4.4 in.
Weight: 18.5 oz (unloaded)
Action Type: Single Action Only
Front Sights: Fixed Steel White Dot
Rear Sights: Serrated Drift Adjustable
Safety: Striker Block; Trigger Safety;
Visual Loaded Chamber Indicator

TAURUSTX™ 22

COMPETITION



Item No:
1-TX22C151



NEW

COMPETITION PRIMED. COMPETITIVELY PRICED.

Meet the all-new **TaurusTX™ 22 Competition**—a factory-tuned mod of our award-winning polymer sporting pistol. Designed to shatter records without breaking the bank, this semi-auto rimfire is painstakingly re-engineered to meet the rigorous performance demands of today's budget-savvy competitive shooters. With four available mounting patterns, the upgraded, optics-ready 5" Bull Barrel brings match-grade accuracy and versatility to any shooting discipline.

optics-ready

5" BULL BARREL

four available

OPTICS MOUNTING PATTERNS

exclusive

PRECISION TRIGGER SYSTEM

picatinny rail

MIL-STD 1913

caliber

22LR





Item No:
1-TX22141

TAURUSTX™ 22



22LR (16 + 1) or (10 + 1)

4.1" barrel • 17.3 oz.

Picatinny Rail (Mil-STD 1913)

Fixed Front/Adjustable Rear Sights

EXCELLENCE RUNS IN THE FAMILY.

From the short, smooth pull of its precision-designed Taurus Performance Trigger System (PTS) to the built-in comfort of its ergonomic grip, the TaurusTX™ 22 is one performance-driven full size that's ready to race. Right out of the box.



NO MANUAL SAFETY
Item No:
1-TX22141F



NO THREADED BARREL
Item No:
1-TX22141-10



FDE
Item No:
1-TX22241F



SPLATTER
Item No:
1-TX22141SP2

NEW

MARCH
2021

TORO

Item No:
1-G3P941

Item No:
1-G3CP931

Trijicon® and Holosun® red dot sights not included.

slide
OPTIC-READY

four interchangeable
RED DOT MOUNTING PLATES

upgraded
GEN 3 TRIGGER SYSTEM

caliber
9MM LUGER

G3 TORO

Item No: 1-G3P941



G3c TORO

Item No: 1-G3CP931



TORO
TAURUS® OPTIC READY OPTION

ADVANCED OPTICS. VISIONARY DESIGN.

Introducing the all-new *TORO (Taurus Optic Ready Option)* platform. Available for the first time ever on the full-size Taurus® G3 and the compact Taurus® G3c. Four interchangeable red dot mounting plates give you the ability to outfit your optic-ready Taurus® G3 or G3c with a variety of popular brands—quickly and easily. The exclusive TORO platform is seamlessly integrated into the slide of both pistols, enabling faster target acquisition and follow-up shots no matter your application or budget.

Trijicon® and Holosun® red dot sights not included.



Item No: 1-G3C931

G3c

WHEN LESS IS SUBSTANTIALLY MORE.

The heart of a full-size. Available in a compact polymer frame. The striker-fired **Taurus® G3c** with restrike capability gives you everything you ever wanted in an everyday carry handgun. And some things you've never even dreamed of. An upgraded flat trigger system delivers accuracy enhancing performance. While an all-weather Tenifer finish and tough Teflon coating keep corrosion at bay. A dovetail cut rear sight makes compatibility with most aftermarket sights a breeze.



9mm Luger
10 + 1 or 12 + 1
3.2" Barrel • 22 oz.

**SERRATED DRIFT
ADJUSTABLE,
STEEL REAR SIGHT**

VISUAL LOADED CHAMBER INDICATOR

**SCALLOPS IN
MAGAZINE AND FRAME**

**TEFLON COATING ON ALL
OPERATIONAL CONTROL PARTS**

GEN 3 TRIGGER SYSTEM

FRONT SLIDE SERRATIONS

Item No: 1-G3941
Viridian® X5L sold separately.



G3


9mm Luger
15 + 1 or 17 + 1 (10-round also available)
Single Action with Restrike Capability
Fixed Front/Adjustable Rear Sights
Matte Black (Tenifer) / Matte Stainless
4" • 25 oz.
Picatinny (Mil-STD 1913)



Item No: 1-G39410



Item No: 1-G3941G



Item No: 1-G3941T

REFINED DESIGN. STRIKING PERFORMANCE.

The **Taurus® G3** delivers an extraordinary new take on the traditional striker fired pistol—packing more innovation, more features and more punch into a range-friendly, full-size polymer frame.



9mm Luger/40 S&W
Carbon Steel Slide
Novak Drift-Adjustable Sights
Mil-STD 1913 Picatinny Rail
Matte Black Finish
Ambidextrous Magazine Release
Ambidextrous Safety (Full size only)

Item No:
1-TH9041

TH SERIES

The **Taurus® TH** series of hammer-fired pistols. Well-equipped, ultra-dependable and chambered in 9mm Luger or 40 S&W, the TH series is a modern reinvention of the classic hammer-fired SA/DA semi-auto platform. Available in both full-size and compact models, the TH series is built on a polymer frame that boasts finger grooves along the grip, generous stippling panels and interchangeable backstraps (full-size only) for a custom fit.

FULL-SIZE

TH9

4.25" barrel
28.2 oz.
17+1 (2)

Item No:
1-TH9041



TH40

4.25" barrel
28.2 oz.
15+1 (2)

Item No:
1-TH40041



COMPACT

TH9c

3.5" barrel
25 oz.
17+1/13+1

Item No:
1-TH9C031



TH40c

3.5" barrel
25 oz.
15+1/11+1

Item No:
1-TH40C031





Item No:
1-G2C931-12

A STANDOUT IN CONCEALED CARRY PERFORMANCE.

The **Taurus G2c** series was engineered specifically for everyday carry—and it delivers. With its streamlined, ergonomic design and rugged, compact polymer frame, you'll find the G2 series strikes the perfect balance between comfort and confidence in any situation.

G2c

9mm Luger (12 + 1) or (10 + 1)
40 S&W (10 + 1)
21.2 oz • 3.25" Barrel
Mil-STD 1913 Picatinny Rail
Fixed White Dot Front Sight
Adjustable White Dot Rear Sight
Matte Black or Matte Stainless
2 Magazines Included



Item No:
1-G2C931-12G



Item No:
1-G2C939-12
Shown with Viridian®
E-Series™ Red Laser



Item No:
1-G2S931

YOUR CHOICE FOR PERSONAL PROTECTION

The single-stack **Taurus G2s** series pushes subcompact pistol boundaries to the limit with its unprecedented design advances and full-feature performance. All without compromising comfort, effectiveness or operational efficiency.

G2s

9mm Luger (7 + 1) or 40 S&W (6 + 1)
20.3 oz. • 3.25" Barrel
Matte Black or Matte Stainless
Mil-STD 1913 Picatinny Rail
Fixed White Dot Front Sight
Adjustable White Dot Rear Sight
2 Magazines Included




Item No:
1-G2S939C



Item No:
1-G2S939





JESSIE HARRISON

Jessie Harrison

2020 CHAMPIONSHIPS

World Speed Shooting Championships
Ladies Open Champion

USPSA Georgia State Championships
Ladies Open Champion

USPSA Area 6 Championships
Ladies Open Champion

USPSA Area 3 Championships
Ladies Open Champion

Competing—and excelling—in five different shooting disciplines, Taurus Team Captain Jessie Harrison has won both world and national championship titles—including the prestigious Bianchi Cup, the Steel Challenge World Speed Shooting Championships and numerous USPSA National Championships. The first female shooter to obtain Grand Master status in the United States Practical Shooting Association, Jessie is recognized as one of the most accomplished competition shooters in the world. And it's safe to say she's only getting better.



Item No:
1-191109



Item No:
1-191101FS



*Taurus 1911™ models shown
with Altamont wood grips
available at ShopTaurus.com*



Item No:
1-191101-9MM

TAURUS
1911™

45 ACP (8 + 1)
9mm Luger (9 + 1)
5" barrel
42 oz.
Novak Drift-Adjustable Sights
Matte Black or Matte Stainless

TAURUS 1911™

COMMANDER



Item No:
1-191101COM

45 ACP (8 + 1)
9mm Luger (9 + 1)
4.2" barrel
38 oz.
Novak Drift-Adjustable Sights
Matte Black or Matte Stainless



Available in Full-Size & Commander

Item No:
1-191101COMG-VZ



Available in Full-Size & Commander

Item No:
1-191101COMMG-VZ

**MORE FEATURES.
MORE POWER.
MORE TO LOVE.**

For well over a decade, the Taurus 1911™ has redefined the iconic semi-auto platform. Now, in addition to our long-proven full-size, the Taurus 1911™ family of pistols a compact, lighter-weight model that is ideal for concealed carry and personal defense.



Item No:
1-191101COMS-VZ



Item No:
1-920159-17

92

9mm Luger (17 + 1) • 34 oz.
Mil-STD 1913 Picatinny Rail
Integrated Front Sight
Drift-Adjustable Rear Sight
Matte Black or Matte Stainless



Item No:
1-920151-17



Item No:
1-220039PLY

**22
POLY**

22LR (8 + 1)
11 oz.
Matte Black or Matte Stainless
Integrated Front and Rear Sights



Item No:
1-220031PLY

REVOLVERS

Item No:
2-856021VL
See page 34

Item No:
2-856029ULCH
See page 34

Item No:
2-85631ULNS
See page 39

Item No:
2-856029UL
See page 34



Item No:
2-942031
See page 30

Item No:
2-942021
See page 30

Item No:
2-942029
See page 30

942

22LR/22WMR (8-shot)
2" and 3" Barrel
Serrated Ramp Front Sight
Drift Adjustable Rear Sight
23.6 oz.
Matte Black Or Matte Stainless

Item No:
2-942029M

LIGHTWEIGHT. LOW RECOIL. EXCEPTIONALLY RELIABLE.

The Taurus® 942 is an 8-shot 22LR/22WMR revolver that's ideal for concealed carry, recreational shooting and skills training.



Item No:
2-942021



Item No:
2-942029



Item No:
2-942031



Item No:
2-942039



Shown with Leupold FX-II Handgun / Scout Rifle Scope 4x28mm

Item No:
2-44008B1RH-HP

TAURUS RAGING HUNTER™

44 Magnum (6 Shot Capacity)
357 Mag/38 Special (7 Shot Capacity)
454 Casull (5 Shot Capacity)
NEW 460 S&W (5 Shot Capacity)
Matte Black or Two Tone Finish
Ported Barrel
Optic-Ready Picatinny Rail
Fixed Front/Adjustable Rear Sights
Barrel Sizes: 8.375" / 6.75" / 5.125"
Weight Range: 49–57 oz.

THREE BARREL LENGTHS. FOUR CALIBERS. ONE RAGING FAMILY.



The **Taurus Raging Hunter™** is a next-generation, big-bore revolver that's first in innovation—and built to last. Its revolutionary angular barrel design cuts down on overall weight, while its factory tuned porting and gas expansion chamber reduces muzzle lift for quicker target acquisition. Cushioned insert grips ensure a comfortable, controllable shooting experience.

NEW


TAURUS
RAGING
HUNTER™
460



Item No:
2-460085RH



Item No:
2-460061RH



Item No:
2-460055RH

HUNT BIGGER.

The evolution of our innovative big bore revolver series continues with the introduction of the all-new **Taurus Raging Hunter™ 460**. Chambered in 460 S&W Magnum, this exceptionally mighty five-shot revolver is the definitive choice for longer-range and dangerous game hunting. An updated version of our award-winning revolver platform, the Raging Hunter 460 delivers more power and versatility in the field while providing an added level of peace of mind at home.

Item No:
2-856021ULC17

Item No:
2-856021M

Item No:
2-856029ULCH



856

LIGHTWEIGHT. EASY TO CONCEAL. EXCEPTIONALLY RELIABLE.

The Taurus® 856 is finely tuned to deliver the ultimate peace of mind for home and personal defense situations.



VIRIDIAN® LASER GRIP

Item No:
2-856021VL

38 Special +P (6)
2" Barrel
Serrated Ramp Front Sight
Fixed Rear Sight
22.1 oz. (or 15.7 oz. *Ultra-Lite*)
Matte Black or Matte Stainless



Item No:
2-856021M



Item No:
2-856021ULCH

CONCEALED HAMMER



Item No:
2-856029ULVZ06

ULTRA LITE

shown with VZ Grips®
Operator II™ Black



Item No:
2-856029ULC09

856
COLORS

Taurus® 856 Ultra-Lite
is available in a variety of
exclusive color combinations
for added consumer appeal.



A BOLD VISION FOR CONCEALED CARRY REVOLVERS.



Item No:
2-856021ULC09



Item No:
2-856021ULC10



Item No:
2-856021ULC12



Item No:
2-856021ULC13



Item No:
2-856029ULC09



Item No:
2-856029ULC10



Item No:
2-856029ULC12



Item No:
2-856029ULC13



Item No:
2-85631ULNS

856 DEFENDER

3 BARREL

**BRIGHT ORANGE, TRITIUM INSERT
FRONT NIGHT SIGHT**



*Shown with Hogue®
OverMolded® Rubber Grip*

Item No:
2-85639NS



*Shown with Hogue®
OverMolded® Rubber Grip*

Item No:
2-85639ULNS



Two tone with VZ Grips® Twister

Item No:
2-85635NSVZ



*Shown with Hogue®
OverMolded® Rubber Grip*

Item No:
2-85631NS



*Shown with Hogue®
OverMolded® Rubber Grip*

Item No:
2-85631ULNS



*Tungsten Cerakote with
Altamont® Wood Grip*

Item No:
2-8563CNS



Item No:
2-380121UL

380

380 Auto (5)
Black Oxide or Matte Stainless
Fixed Front/Adjustable Rear Sights
Bobbed Hammer
16 oz.



905

9mm Luger (5)
Matte Black Anodized or Matte Stainless
Fixed Front/Fixed Rear Sights
Spurred Hammer
21 oz.



Item No:
2-905021



605

38 Special +P/357 Mag (5)
Matte Black or Matte Stainless
Steel Frame
Fixed Front/Fixed Rear Sights
Spurred Hammer
24 oz.

Item No:
2-605021



Item No:
2-605029



Item No:
2-605021PLY

605
PROTECTOR

Polymer Frame
Fiber Optic Front Sight
20 oz.

608

38 Special +P/357 Mag (8)
Matte Stainless
Fixed Front/Adjustable Rear Sights
Ported barrel
Spurred Hammer
45 oz. (4" barrel) 51 oz. (6.5" barrel)



Item No:
2-608049



Item No:
2-440049

44

44 Mag (6)
Matte Stainless
Fixed Front/Adjustable Rear Sights
Ported & Ribbed Barrel
Spurred Hammer
45 oz. (4" barrel) / 52 oz. (6.5" barrel) / 57 oz. (8.375" barrel)



Item No:
2-820041

82

38 Special +P (6)
Matte Black
Fixed Front/Fixed Rear Sights
Spurred Hammer
37 oz.

65

38 Special +P/357 Mag (6)
Matte Black or Matte Stainless
Fixed Sights
Spurred Hammer
38 oz.

Item No:
2-650041



38 Special +P/357 Mag (7)
Matte Black or Matte Stainless
Fixed Front/Adjustable Rear Sights
Spurred Hammer
38 oz. (4" barrel) 40 oz. (6" barrel)

TRACKER® 692

The Taurus Tracker® 692 7-shot multi-caliber revolver not only rethinks traditional design, it elevates the entire revolver category. A portrait of versatility, the 692 enables you to quickly switch calibers with the simple swap of the cylinder—making it ideal for home, personal defense and target shooting. Available in carry friendly 3" and range ready 6.5" barrel versions.

Item No:
2-692039

38/357
9MM



22LR
22MAG



Item No:
2-992069

TRACKER®
992

22LR/22 Mag (9)
Matte Stainless
Ribbed Barrel (6.5" only)
Fixed Front/Adjustable Rear Sights
24 oz. (4" barrel) 46 oz. (6.5" barrel)



Item No:
2-170061

TRACKER®
17

17 HMR (7)
Matte Black or Matte Stainless
Ribbed Barrel
Fixed Front/Adjustable Rear Sights
Spurred Hammer
47 oz.



Item No:
2-440029TKR

TRACKER® 44

44 Mag (5)
Matte Stainless
Fixed Front/Adjustable Rear Sights
31 oz. (2" barrel)



Item No:
2-627049

TRACKER® 627

357 Mag/38 Special +P (7)
Matte Stainless
Fixed Front/Adjustable Rear Sights
35 oz. (4" barrel) 40 oz. (6.5" barrel)



Item No:
2-441031T

TAURUS JUDGE®

45 Colt/410 GA—2½" (5)
Matte Black or Matte Stainless
Fiber Optic Front Sight
Fixed Rear Sight
29 oz. (3" barrel) 32 oz. (6.5" barrel)



Item No:
2-441039MAG

JUDGE MAGNUM®

45 Colt/410 GA—2½" & 3" (5)
Matte Black or Matte Stainless
Fiber Optic Front Sight
Fixed Rear Sight
37 oz. (3" barrel) 42 oz. (6.5" barrel)

RAGING JUDGE®

45 Colt/454 Casull/410 GA—2½" & 3" (6)
Matte Stainless
Fiber Optic Front Sight
Fixed Rear Sight
61 oz.



ENGRAVED JUDGE®

Item No:
2-441031MAG-ENG1

45 Colt/410 GA—2½ (5)
Matte Black with Custom Engraving
Fiber Optic Front Sight/Fixed Rear Sight
Black Wood Altamont® Grip
48 oz. (6.5" Barrel) 37 oz. (3" Barrel)



Item No:
2-441039TC

JUDGE[®]

PUBLIC DEFENDER

45 Colt/410 GA—2½" (5)
Matte Black or Matte Stainless
Fiber Optic Front Sight
Fixed Rear Sight
28.2 oz.



Item No:
2-441029TCPLY

JUDGE[®]

PUBLIC DEFENDER

POLY

45 Colt/410 GA—2½" (5)
Polymer Frame
Fiber Optic Front Sight
Adjustable Rear Sight
24 oz.



2021 Product Catalog

66

TaurusUSA.com

NEW
MARCH 2021

NEW
MARCH 2021

NEW
MAY 2021

ITEM NUMBER	SERIES	SHORT DESCRIPTION	UPC	SLIDE MATERIAL	SLIDE FINISH	CAPACITY	CALIBER	ACTION TYPE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	OVERALL WEIGHT	BARREL LENGTH	SIGHTS FRONT/REAR	FIRING SYSTEM	MSRP
TaurusTX™ 22																
1-TX22141	TaurusTX™ 22	TAURUSTX 22 22LR 4" BK/BK 2x16 RDS	7-25327-93201-7	Aluminum	Hard Anodized Black	16 RDS	22 LR	SAO	7.06 in.	1.25 in.	5.44 in.	17.30 oz	4.10 in.	Fixed (White dot) / Adjustable (White dot)	Striker	316.76
1-TX22141-10	TaurusTX™ 22	TAURUSTX 22 22LR 4" BK/BK 2x10 RDS	7-25327-93216-1	Aluminum	Hard Anodized Black	10 RDS	22 LR	SAO	7.06 in.	1.25 in.	5.44 in.	17.30 oz	4.10 in.	Fixed (White Dot) / Adjustable (White dot)	Striker	316.76
1-TX22141F	TaurusTX™ 22	TAURUSTX 22 22LR 4" FDE/BK 2x16 RDS	7-25327-93236-9	Aluminum	Hard Anodized Black	16 RDS	22 LR	SAO	7.06 in.	1.25 in.	5.44 in.	17.30 oz	4.10 in.	Fixed (White Dot) / Adjustable (White dot)	Striker	316.76
1-TX22141O	TaurusTX™ 22	TAURUSTX 22 22LR 4" ODG/BK 2x16 RDS	7-25327-93235-2	Aluminum	Hard Anodized Black	16 RDS	22 LR	SAO	7.06 in.	1.25 in.	5.44 in.	17.30 oz	4.10 in.	Fixed (White Dot) / Adjustable (White dot)	Striker	316.76
1-TX22241	TaurusTX™ 22	TAURUSTX 22 22LR 4" BK/BK NON MAN SAFETY 2x16	7-25327-93251-2	Aluminum	Hard Anodized Black	16 RDS	22 LR	SAO	7.06 in.	1.25 in.	5.44 in.	17.30 oz	4.10 in.	Fixed (White Dot) / Adjustable (White dot)	Striker	316.76
1-TX22241-10	TaurusTX™ 22	TAURUSTX 22 22LR 4" BK/BK NON MAN SAFETY 2x10	7-25327-93263-5	Aluminum	Hard Anodized Black	10 RDS	22 LR	SAO	7.06 in.	1.25 in.	5.44 in.	17.30 oz	4.10 in.	Fixed (White Dot) / Adjustable (White dot)	Striker	316.76
1-TX22341-10	TaurusTX™ 22	TAURUSTX 22 22LR 4" BK/BK NON THREAD 2x10	7-25327-93282-6	Aluminum	Hard Anodized Black	10 RDS	22 LR	SAO	7.13 in.	1.25 in.	5.44 in.	17.30 oz	4.16 in.	Fixed (White Dot) / Adjustable (White dot)	Striker	316.76
1-TX22C151	TaurusTX™ 23	TAURUSTX 22 COMPETITION 22LR 5.4" BK/BK 3x16	7-25327-93274-1	Aluminum	Hard Anodized Black	16 RDS	22 LR	SAO	8.15 in.	1.25 in.	5.44 in.	23.00 oz	5.25 in.	Fixed (White dot) / Adjustable (White dot)	Striker	484.85
Taurus® 22 POLY																
1-220031PLY	Taurus® 22 POLY	PT22 POLY 22LR BK/BK 2.8" 1x8	7-25327-60699-4	Stainless Steel	Matte Black	8 RDS	22 LR	DAO	5.00 in.	1.10 in.	4.30 in.	11.00 oz	2.80 in.	Integrated / Integrated	Hammer	255.11
1-220031PLYL	Taurus® 22 POLY	PT22 POLY 22LR LAVENDER/BK 2.8" 1x8	7-25327-61559-0	Stainless Steel	Matte Black	8 RDS	22 LR	DAO	5.00 in.	1.10 in.	4.30 in.	11.00 oz	2.80 in.	Integrated / Integrated	Hammer	273
1-220039PLY	Taurus® 22 POLY	PT22 POLY 22LR BK/SS 2.8" 1x8	7-25327-61014-4	Stainless Steel	Matte Stainless	8 RDS	22 LR	DAO	5.00 in.	1.10 in.	4.30 in.	11.00 oz	2.80 in.	Integrated / Integrated	Hammer	270.56
1-220039PLYC	Taurus® 22 POLY	PT22 POLY .22LR CY/SS 2.8" 1x8	7-25327-93172-0	Stainless Steel	Matte Stainless	8 RDS	22 LR	DAO	5.00 in.	1.10 in.	4.30 in.	11.00 oz	2.80 in.	Integrated / Integrated	Hammer	299.3
1-220039PLYL	Taurus® 22 POLY	PT22 POLY .22LR LAVENDER/SS 2.8" 1x8	7-25327-61053-3	Stainless Steel	Matte Stainless	8 RDS	22 LR	DAO	5.00 in.	1.10 in.	4.30 in.	11.00 oz	2.80 in.	Integrated / Integrated	Hammer	299.3
Taurus Spectrum®																
1007031101	Taurus Spectrum®	SPECTRUM .380AUTO BK/BK 2.8" 6/7 BK	7-25327-61378-7	Stainless Steel	Matte Black	7 RDS	380 AUTO	DAO	5.40 in.	0.90 in.	3.80 in.	10.00 oz	2.80 in.	Integrated Low-Profile / Integrated Low Profile	Striker	224.24
1007039101	Taurus Spectrum®	SPECTRUM .380AUTO SS/BK 2.8" 6/7 BK	7-25327-61438-8	Stainless Steel	Stainless	7 RDS	380 AUTO	DAO	5.40 in.	0.90 in.	3.80 in.	10.00 oz	2.80 in.	Integrated Low-Profile / Integrated Low Profile	Striker	224.24
Taurus® G3c																
1-G3C931	Taurus® G3c	G3C 9MM BK/BK 3.26 " 3x12	7-25327-61930-7	Alloy Steel	Tenifer Matte Black	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Drift adjustable	Striker	308.77
1-G3C931-10	Taurus® G3c	G3C 9MM BK/BK 3.26 " 3x10	7-25327-93447-9	Alloy Steel	Tenifer Matte Black	10 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Drift adjustable	Striker	308.77
Taurus® G3																
1-G3941	Taurus® G3	G3 9MM BK/BK 4.0" 1x15, 1x17 RDS	7-25327-61823-2	Alloy Steel	Tenifer Matte Black	17 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	298.17
1-G3941-10	Taurus® G3	G3 9MM BK/BK 4.0" BL 2x10 RDS	7-25327-93323-6	Alloy Steel	Tenifer Matte Black	10 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	298.17
1-G3941-15	Taurus® G3	G3 9MM BK/BK 4.0" BL 2x15 RDS	7-25327-61916-1	Alloy Steel	Tenifer Matte Black	15 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	298.17
1-G3941G	Taurus® G3	G3 9MM GR/BK 4.0" BL 1x15, 1x17 RDS	7-25327-61920-8	Alloy Steel	Tenifer Matte Black	17 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	298.17
1-G3941O	Taurus® G3	G3 9MM OG/BK 4.0" BL 1x15, 1x17 RDS	7-25327-61921-5	Alloy Steel	Tenifer Matte Black	17 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	345.23
1-G3941T	Taurus® G3	G3 9MM TAN/BK 4.0" BL 1x15, 1x17 RDS	7-25327-61923-9	Alloy Steel	Tenifer Matte Black	17 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	298.17
1-G3949	Taurus® G3	G3 9MM BK/SS 4.0" BL 1x15, 1x17 RDS	7-25327-61799-0	Stainless Steel	Matte Stainless	17 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	313.94
1-G3949-10	Taurus® G3	G3 9MM BK/SS 4.0" BL 2x10 RDS	7-25327-93324-3	Stainless Steel	Matte Stainless	10 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	313.94
1-G3949-15	Taurus® G3	G3 9MM BK/SS 4.0" BL 2x15 RDS	7-25327-61917-8	Stainless Steel	Matte Stainless	15 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	313.94
Taurus® G3c T.O.R.O.																
1-G3CP931	Taurus® G3c T.O.R.O.	G3C 9MM BLACK/BLACK 3.26" 3x12 OPTIC READY	7-25327-62360-1	Alloy Steel	Tenifer Matte Black	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Drift adjustable	Striker	408.77
1-G3CP931-10	Taurus® G3c T.O.R.O.	G3C 9MM BLACK/BLACK 3.26" 3x12 OPTIC READY	7-25327-93454-7	Alloy Steel	Tenifer Matte Black	10 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Drift adjustable	Striker	408.77
Taurus® G3 T.O.R.O.																
1-G3P941	Taurus® G3 T.O.R.O.	G3 9MM BK/BK 4.0" 1x15, 1x17 RDS OPTIC READY	7-25327-62021-1	Alloy Steel	Tenifer Matte Black	17 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	408.77
Taurus GX4™																
1-GX4M931	Taurus GX4™	TAURUS GX4 9MM BLACK/BLACK 3.0" 2x11	7-25327-93539-1	Alloy Steel	Gas Nitride Matte Black	11 RDS	9MM LUGER	SAO	6.05 in.	1.08 in.	4.4 in.	18.5 oz	3.06 in.	Fixed / Drift adjustable	Striker	392.42

67

TAURUS® PISTOLS (CONTINUED)

ITEM NUMBER	SERIES	SHORT DESCRIPTION	UPC	SLIDE MATERIAL	SLIDE FINISH	CAPACITY	CALIBER	ACTION TYPE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	OVERALL WEIGHT	BARREL LENGTH	SIGHTS FRONT/REAR	FIRING SYSTEM	MSRP
Taurus® G2c																
1-G2C4031-10	Taurus® G2c	G2C .40 S&W BK/BK 3.26 " BL 2X10 RDS	7-25327-61612-2	Alloy Steel	Matte Black	10 RDS	40 S&W	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	272.7
1-G2C4039-10	Taurus® G2c	G2C .40 S&W BK/SS 3.26" BL 2X10 RDS	7-25327-61613-9	Stainless Steel	Matte Stainless	10 RDS	40 S&W	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	288.47
1-G2C931-10	Taurus® G2c	G2C 9MM BK/BK 3.26 " BL 2X10 RDS	7-25327-93196-6	Alloy Steel	Matte Black	10 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	272.7
1-G2C931-12	Taurus® G2c	G2C 9MM BK/BK 3.26 " 2X12 RDS	7-25327-61603-0	Alloy Steel	Matte Black	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	272.7
1-G2C931-12C	Taurus® G2c	G2C 9MM CY/BK 3.26 " BL 2X12 RDS	7-25327-61775-4	Alloy Steel	Matte Black	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	272.7
1-G2C931-12DP	Taurus® G2c	G2C 9MM DP/BK 3.26 " BL 2X12 RDS	7-25327-61740-2	Alloy Steel	Matte Black	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	272.7
1-G2C931-12G	Taurus® G2c	G2C 9MM GR/BK 3.26 " BL 2X12 RDS	7-25327-61605-4	Alloy Steel	Matte Black	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	272.7
1-G2C931-12LP	Taurus® G2c	G2C 9MM LP/BK 3.26 " BL 2X12 RDS	7-25327-61741-9	Alloy Steel	Matte Black	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	272.7
1-G2C931-12O	Taurus® G2c	G2C 9MM OG/BK 3.26 " BL 2X12 RDS	7-25327-61607-8	Alloy Steel	Matte Black	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	272.7
1-G2C939-10	Taurus® G2c	G2C 9MM BK/SS 3.26 " BL 2X10 RDS	7-25327-93197-3	Stainless Steel	Matte Stainless	10 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	288.47
1-G2C939-12	Taurus® G2c	G2C 9MM BK/SS 3.26 " BL 2X12 RDS	7-25327-61604-7	Stainless Steel	Matte Stainless	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	288.47
1-G2C939-12G	Taurus® G2c	G2C 9MM GR/SS 3.26 " BL 2X12 RDS	7-25327-61738-9	Stainless Steel	Matte Stainless	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	288.47
Taurus® G2s																
1-G2S4031	Taurus® G2s	G2S.40 S&W BK/BK 3.26 " BL 2X6 RDS	7-25327-61623-8	Alloy Steel	Matte Black	6 RDS	40 S&W	SA w/Restrike	6.30 in.	1.10 in.	4.80 in.	20.00 oz	3.20 in.	Fixed / Adjustable	Striker	286.36
1-G2S931	Taurus® G2s	G2S 9MM BK/BK 3.26 " BL 2X7 RDS	7-25327-61633-7	Alloy Steel	Matte Black	7 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.10 in.	4.80 in.	20.00 oz	3.20 in.	Fixed / Adjustable	Striker	253.24
1-G2S939	Taurus® G2s	G2S 9MM BK/SS 3.26" BL 2X7 RDS	7-25327-61629-0	Stainless Steel	Matte Stainless	7 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.10 in.	4.80 in.	20.00 oz	3.20 in.	Fixed / Adjustable	Striker	268.71
1-G2S939C	Taurus® G2s	G2S 9MM CY/SS 3.26 " BL 2X7 RDS	7-25327-61743-3	Stainless Steel	Matte Stainless	7 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.10 in.	4.80 in.	20.00 oz	3.20 in.	Fixed / Adjustable	Striker	268.71
Taurus® TH Series																
1-TH40041	Taurus® TH40	TH40 .40 S&W BK/BK 4.25 " BL 2X15 RDS	7-25327-61532-3	Alloy Steel	Matte Black	15 RDS	40 S&W	DA/SA	7.72 in.	1.30 in.	5.98 in.	28.20 oz	4.27 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	346.97
1-TH40041B	Taurus® TH40	TH40 .40 S&W BR/BK 4.25 " BL 2X15 RDS	7-25327-61712-9	Alloy Steel	Matte Black	15 RDS	40 S&W	DA/SA	7.72 in.	1.30 in.	5.98 in.	28.20 oz	4.27 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH40041G	Taurus® TH40	TH40 .40 S&W GR/BK 4.25 " BL 2X15 RDS	7-25327-61711-2	Alloy Steel	Matte Black	15 RDS	40 S&W	DA/SA	7.72 in.	1.30 in.	5.98 in.	28.20 oz	4.27 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH40041O	Taurus® TH40	TH40 .40 S&W OD/BK 4.25 " BL 2X15 RDS	7-25327-61713-6	Alloy Steel	Matte Black	15 RDS	40 S&W	DA/SA	7.72 in.	1.30 in.	5.98 in.	28.20 oz	4.27 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH40041T	Taurus® TH40	TH40 .40 S&W TAN/BK 4.25 " BL 2X15 RDS	7-25327-61714-3	Alloy Steel	Matte Black	15 RDS	40 S&W	DA/SA	7.72 in.	1.30 in.	5.98 in.	28.20 oz	4.27 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH40C031	Taurus® TH40	TH40 .40 S&W Compact BK/BK 3.54 " BL 1X15 1X11 RDS	7-25327-61535-4	Alloy Steel	Matte Black	11 RDS	40 S&W	DA/SA	7.10 in.	1.30 in.	4.80 in.	22.40 oz	3.54 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	346.97
1-TH40C031B	Taurus® TH40	TH40 .40 S&W Compact BR/BK 3.54 " BL 1X15 1X11 RDS	7-25327-61716-7	Alloy Steel	Matte Black	11 RDS	40 S&W	DA/SA	7.10 in.	1.30 in.	4.80 in.	22.40 oz	3.54 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH40C031G	Taurus® TH40	TH40 .40 S&W Compact GR/BK 3.54 " BL 1X15 1X11 RDS	7-25327-61715-0	Alloy Steel	Matte Black	11 RDS	40 S&W	DA/SA	7.10 in.	1.30 in.	4.80 in.	22.40 oz	3.54 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH40C031T	Taurus® TH40	TH40 .40 S&W Compact TAN/BK 3.54 " BL 1X15 1X11 RDS	7-25327-61717-4	Alloy Steel	Matte Black	11 RDS	40 S&W	DA/SA	7.10 in.	1.30 in.	4.80 in.	22.40 oz	3.54 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH9041	Taurus® TH9	TH9 9MM BK/BK 4.25 " 2X17 RDS	7-25327-61531-6	Alloy Steel	Matte Black	17 RDS	9MM LUGER	DA/SA	7.72 in.	1.30 in.	5.98 in.	28.20 oz	4.27 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	346.97
1-TH9041B	Taurus® TH9	TH9 9MM BR/BK 4.25 " BL 2X17 RDS	7-25327-61704-4	Alloy Steel	Matte Black	17 RDS	9MM LUGER	DA/SA	7.72 in.	1.30 in.	5.98 in.	28.20 oz	4.27 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH9041C	Taurus® TH9	TH9 9MM CY/BK 4.25 " BL 2X17 RDS	7-25327-61745-7	Alloy Steel	Matte Black	17 RDS	9MM LUGER	DA/SA	7.72 in.	1.30 in.	5.98 in.	28.20 oz	4.27 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH9041G	Taurus® TH9	TH9 9MM GR/BK 4.25 " BL 2X17 RDS	7-25327-61700-6	Alloy Steel	Matte Black	17 RDS	9MM LUGER	DA/SA	7.72 in.	1.30 in.	5.98 in.	28.20 oz	4.27 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH9041O	Taurus® TH9	TH9 9MM OG/BK 4.25 " BL 2X17 RDS	7-25327-61705-1	Alloy Steel	Matte Black	17 RDS	9MM LUGER	DA/SA	7.72 in.	1.30 in.	5.98 in.	28.20 oz	4.27 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH9041T	Taurus® TH9	TH9 9MM TAN/BK 4.25 " BL 2X17 RDS	7-25327-61706-8	Alloy Steel	Matte Black	17 RDS	9MM LUGER	DA/SA	7.72 in.	1.30 in.	5.98 in.	28.20 oz	4.27 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH9C031	Taurus® TH9	TH9 Compact 9MM BK/BK 3.54 1X17 1X13 RDS	7-25327-61534-7	Alloy Steel	Matte Black	17 RDS	9MM LUGER	DA/SA	6.85 in.	1.30 in.	5.16 in.	25.00 oz	3.54 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	346.97
1-TH9C031B	Taurus® TH9	TH9 Compact 9MM BR/BK 3.54 " BL 1X17 1X13 RDS	7-25327-61708-2	Alloy Steel	Matte Black	17 RDS	9MM LUGER	DA/SA	6.85 in.	1.30 in.	5.16 in.	25.00 oz	3.54 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH9C031C	Taurus® TH9	TH9 Compact 9MM CY/BK 3.54 " BL 1X17 1X13 RDS	7-25327-61790-7	Alloy Steel	Matte Black	17 RDS	9MM LUGER	DA/SA	6.85 in.	1.30 in.	5.16 in.	25.00 oz	3.54 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH9C031G	Taurus® TH9	TH9 Compact 9MM GR/BK 3.54 " BL 1X17 1X13 RDS	7-25327-61707-5	Alloy Steel	Matte Black	17 RDS	9MM LUGER	DA/SA	6.85 in.	1.30 in.	5.16 in.	25.00 oz	3.54 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH9C031O	Taurus® TH9	TH9 Compact 9MM OG/BK 3.54 " BL 1X17 1X13 RDS	7-25327-61709-9	Alloy Steel	Matte Black	17 RDS	9MM LUGER	DA/SA	6.85 in.	1.30 in.	5.16 in.	25.00 oz	3.54 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95
1-TH9C031T	Taurus® TH9	TH9 Compact 9MM TAN/BK 3.54 " BL 1X17 1X13 RDS	7-25327-61710-5	Alloy Steel	Matte Black	17 RDS	9MM LUGER	DA/SA	6.85 in.	1.30 in.	5.16 in.	25.00 oz	3.54 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	376.95

TAURUS® PISTOLS (CONTINUED)

ITEM NUMBER	SERIES	SHORT DESCRIPTION	UPC	SLIDE MATERIAL	SLIDE FINISH	CAPACITY	CALIBER	ACTION TYPE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	OVERALL WEIGHT	BARREL LENGTH	SIGHTS FRONT/REAR	FIRING SYSTEM	MSRP
Taurus 1911™ Series																
1-191101-9MM	Taurus 1911™	1911 9MM LUGER, 5" BK/BK, 9+1 RDS	7-25327-61802-7	Alloy Steel	Matte Black	9 RDS	9MM LUGER	SAO	8.60 in.	1.50 in.	5.80 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift-Adjustable	Hammer	615.62
1-191101-ALT2	Taurus 1911™	1911 FS 45ACP 5" BK/Cerakote Bronze 1x8 Alt Grip	7-25327-93184-3	Alloy Steel	CERAKOTE BRONZE	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	664.85
1-191101-B1	Taurus 1911™	PT1911 .45AUTO BK/BK 5" 2x8 PIC	7-25327-60543-0	Alloy Steel	Matte Black	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	699.55
1-191101DT	Taurus 1911™	PT1911 .45AUTO BK/DUO 5" 2x8	7-25327-60435-8	Stainless Steel	Dual Tone	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	706.85
1-191101FS	Taurus 1911™	PT1911 .45AUTO BK/BK 5" 1x8	7-25327-61123-3	Alloy Steel	Matte Black	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	615.62
1-191101G-VZ	Taurus 1911™	1911 .45ACP BK/Cerakote Gray 5" 1x8 VZ Grip	7-25327-93156-0	Alloy Steel	Tungsten Gray Cerakote	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	680.3
1-191101MG-VZ	Taurus 1911™	1911 .45ACP 5" BK/Mil Spec Green 1x8 VZ Grip	7-25327-93183-6	Alloy Steel	Mil Spec OD Green Cerakote	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	680.3
1-191101S-VZ	Taurus 1911™	1911 .45ACP BK/Cerakote Sand 5" 1x8 VZ Grip	7-25327-93157-7	Alloy Steel	Desert Sand Cerakote	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	680.3
1-191109	Taurus 1911™	PT1911 .45AUTO SS/SS 5" 2x8	7-25327-60103-6	Stainless Steel	Stainless	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	767.79
1-191109-SS1	Taurus 1911™	PT1911 .45AUTO SS/SS 5" 2x8 PIC	7-25327-60246-0	Stainless Steel	Stainless	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	784.85
1-191101COM	Taurus 1911™ Commander	1911 COMMANDER 45ACP 4.25" BK/BK 1x8 RDS	7-25327-61588-0	Alloy Steel	Matte Black	8 RDS	45 ACP	SAO	8.00 in.	1.30 in.	5.80 in.	38.00 oz	4.20 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	615.62
1-191101COM-9MM	Taurus 1911™ Commander	1911 COMMANDER 9MM LUGER, 4.25" BK/BK, 9+1 RDS	7-25327-61800-3	Alloy Steel	Matte Black	9 RDS	9MM LUGER	SAO	7.90 in.	1.30 in.	5.80 in.	38.00 oz	4.25 in.	Novak Drift-Adjustable / Novak Drift-Adjustable	Hammer	615.62
1-191101COM-P01	Taurus 1911™ Commander	1911 COMMANDER 45ACP 4.25" BK/Prizm PVD 1x8	7-25327-93177-5	Alloy Steel	PVD PRIZM	8 RDS	45 ACP	SAO	8.00 in.	1.30 in.	5.80 in.	38.00 oz	4.20 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	704
1-191101COMG-VZ	Taurus 1911™ Commander	1911 COMMANDER 45ACP 4.25" BK/Cerakote Gray 1x8 VZ Grip	7-25327-93179-9	Alloy Steel	Tungsten Gray Cerakote	8 RDS	45 ACP	SAO	8.00 in.	1.30 in.	5.80 in.	38.00 oz	4.20 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	650
1-191101COMMG-VZ	Taurus 1911™ Commander	1911 COMMANDER 45ACP 4.25" BK/Cerakote MS Green 1x8 VZ Grip	7-25327-93180-5	Alloy Steel	Mil Spec OD Green Cerakote	8 RDS	45 ACP	SAO	8.00 in.	1.30 in.	5.80 in.	38.00 oz	4.20 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	650
1-191101COMS-VZ	Taurus 1911™ Commander	1911 COMMANDER 45ACP 4.25" BK/Cerakote Sand 1 x8 VZ Grip	7-25327-93181-2	Alloy Steel	Desert Sand Cerakote	8 RDS	45 ACP	SAO	8.00 in.	1.30 in.	5.80 in.	38.00 oz	4.20 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	650
1-1911C-EX1	Taurus 1911™ Commander	1911COM EXEC1 .45 ACP 4.25" BK/CERAK ALU 1X8 W GRIP	7-25327-93277-2	Alloy Steel	CERAKOTE ALUMINIUM	8 RDS	45 ACP	SAO	8.00 in.	1.30 in.	5.80 in.	38.00 oz	4.20 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	664.85
1-1911010FC	Taurus 1911™ Officer	1911 OFFICER .45ACP BK/BK 3.51" 1x6 RDS	7-25327-61589-7	Alloy Steel	Matte Black	6 RDS	45 ACP	SAO	7.20 in.	1.30 in.	5.10 in.	35.00 oz	3.50 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	639.45
Taurus® 92																
1-920151-17	Taurus® 92	PT92 9mm BK/BK 5" 2x17	7-25327-60052-7	Alloy Steel	Matte Black	17 RDS	9MM LUGER	DA/SA	8.50 in.	1.60 in.	5.50 in.	34.00 oz	5.00 in.	Integrated / Drift Adjustable	Hammer	544.27



ITEM NUMBER	SERIES	SHORT DESCRIPTION	UPC	CYLINDER MATERIAL	CYLINDER FINISH	CAPACITY	CALIBER	ACTION TYPE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	OVERALL WEIGHT	BARREL LENGTH	SIGHTS FRONT/REAR	FIRING SYSTEM	MSRP
Taurus® 856 Series																
2-856021M	Taurus® 856	856 38 SPL 2" 6 RDS BK/BK	7-25327-61698-6	Alloy Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	22.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	363.63
2-856021MVZ16	Taurus® 856	856 38SPL 2" 6 RDS BK/BK VZ BK BLUE CYCLONE Grip	7-25327-93275-8	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	22.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	440.91
2-856021UL	Taurus® 856	TAURUS ULTRA-LITE 856 38SPL 2" 6 BK/BK	7-25327-61651-1	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	341.86
2-856021ULC09	Taurus® 856	856 38 SPL 2" 6 RDS UL AZURE/BK	7-25327-61660-3	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	369.52
2-856021ULC10	Taurus® 856	856 38 SPL 2" 6 RDS UL ROUGE/BK	7-25327-61655-9	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	369.52
2-856021ULC12	Taurus® 856	856 38 SPL 2" 6 RDS UL BRONZE/BK	7-25327-61664-1	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	369.52
2-856021ULC13	Taurus® 856	856 38 SPL 2" UL 6 RDS B. ORANGE/BK	7-25327-61666-5	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	369.52
2-856021ULVZ13	Taurus® 856	856 38SPL 2" 6 RDS UL BK/BK VZ BK Gray CYCLONE Grip	7-25327-93215-4	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	440.91
2-856021VL	Taurus® 856	856 38SPL 2" BK/BK 6 RDS Viridian Red Laser Grip	7-25327-93206-2	Alloy Steel	Matte Black Oxide	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	22.60 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	500.3
2-856029	Taurus® 856	856 38SPL SS/SS 2" 6 RDS	7-25327-60560-7	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	22.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	378.79
2-856029UL	Taurus® 856	TAURUS ULTRA-LITE 856 38SPL 2" 6 SS/SS	7-25327-61650-4	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	378.79
2-856029ULC09	Taurus® 856	856 38SPL 2" 6 RDS UL AZURE/SS	7-25327-61659-7	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	384.97
2-856029ULC10	Taurus® 856	856 38SPL 2" 6 RDS UL ROUGE/SS	7-25327-61654-2	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	384.97
2-856029ULC12	Taurus® 856	856 38SPL 2" 6 RDS UL Bronze/SS	7-25327-61663-4	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	384.97
2-856029ULC13	Taurus® 856	856 38SPL 2" 6 RDS UL B. ORANGE/SS	7-25327-61665-8	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	384.97
2-85621	Taurus® 856	856 38SPL 2" 6 RDS BK/BK	7-25327-62083-9	Alloy Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	22.00 oz	2.00 in.	Removable Serrated Blade / Fixed	Hammer	341.86
2-85629	Taurus® 856	856 38SPL 2" 6 RDS SS/SS	7-25327-62084-6	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	22.00 oz	2.00 in.	Removable Serrated Blade / Fixed	Hammer	357.56
2-85629UL	Taurus® 856	856 38SPL 2" 6 RDS UL SS/SS	7-25327-62086-0	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Removable Serrated Blade / Fixed	Hammer	357.56
2-856021CH	Taurus® 856 Concealed Hammer	856 38SPL 2" 6 RDS BLACK/BK CH	7-25327-61748-8	Alloy Steel	Matte Black	6 RDS	38 SPECIAL +P	DAO	6.55 in.	1.41 in.	4.80 in.	22.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	341.86
2-856021ULCH	Taurus® 856 Concealed Hammer	856 38SPL 2" 6 RDS UL BLACK/BK CH	7-25327-61750-1	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DAO	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	341.86
2-856029CH	Taurus® 856 Concealed Hammer	856 38SPL 2" 6 RDS SS/SS CH	7-25327-61749-5	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DAO	6.55 in.	1.41 in.	4.80 in.	22.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	357.56
2-85631NS	Taurus® Defender 856	856 38SPL 3" 6 RDS BSS/BSS N.S. HOGUE GRIP	7-25327-93387-8	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	7.50 in.	1.41 in.	4.80 in.	23.52 oz	3.00 in.	Night Sight w/ Orange Outline / Fixed	Hammer	389.88
2-85631ULNS	Taurus® Defender 856	856 38SPL 3" 6 RDS BSS/BSS N.S. HOGUE GRIP	7-25327-93388-5	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	7.50 in.	1.41 in.	4.80 in.	17.36 oz	3.00 in.	Night Sight w/ Orange Outline / Fixed	Hammer	389.88
2-85635NSVZ	Taurus® Defender 856	856 38SPL 3" 6 RDS SS BLACK ACCENT N.S. VZ GRIP	7-25327-93389-2	Stainless Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	7.50 in.	1.41 in.	4.80 in.	25.52 oz	3.00 in.	Night Sight w/ Orange Outline / Fixed	Hammer	454.5
2-85639NS	Taurus® Defender 856	856 38SPL 3" 6 RDS SS/SS N.S. HOGUE GRIP	7-25327-93385-4	Stainless Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	7.50 in.	1.41 in.	4.80 in.	23.52 oz	3.00 in.	Night Sight w/ Orange Outline / Fixed	Hammer	405.56
2-85639ULNS	Taurus® Defender 856	856 38SPL 3" 6 RDS UL SS/SS N.S. HOGUE GRIP	7-25327-93386-1	Stainless Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	7.50 in.	1.41 in.	4.80 in.	17.36 oz	3.00 in.	Night Sight w/ Orange Outline / Fixed	Hammer	405.56
2-8563CNS	Taurus® Defender 856	856 38SPL 3" 6 RDS TUNGSTEN N.S. WOOD GRIP	7-25327-93390-8	Stainless Steel	Tungsten Cerakote	6 RDS	38 SPECIAL +P	DA/SA	7.50 in.	1.41 in.	4.80 in.	24.00 oz	3.00 in.	Night Sight w/ Orange Outline / Fixed	Hammer	423.89

TAURUS® REVOLVERS (CONTINUED)

ITEM NUMBER	SERIES	SHORT DESCRIPTION	UPC	CYLINDER MATERIAL	CYLINDER FINISH	CAPACITY	CALIBER	ACTION TYPE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	OVERALL WEIGHT	BARREL LENGTH	SIGHTS FRONT/REAR	FIRING SYSTEM	MSRP
Raging Hunter™ Series																
2-357051RH	Raging Hunter™	RAGING HUNTER 357MAG 5 1/8" 7RDS BK	7-25327-61756-3	Alloy Steel	Matte Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	11.50 in.	1.80 in.	6.50 in.	49.00 oz	5.12 in.	Fixed / Adjustable	Hammer	928.85
2-357055RH	Raging Hunter™	RAGING HUNTER 357MAG 5 1/8" 7RDS TWO TONE	7-25327-61757-0	Alloy Steel	Matte Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	11.50 in.	1.80 in.	6.50 in.	49.00 oz	5.12 in.	Fixed / Adjustable	Hammer	938.3
2-357061RH	Raging Hunter™	RAGING HUNTER .357MAG/38SPL 6 3/4" 7RDS BK	7-25327-61758-7	Alloy Steel	Matte Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	12.25 in.	1.80 in.	6.50 in.	53.00 oz	6.75 in.	Fixed / Adjustable	Hammer	928.85
2-357065RH	Raging Hunter™	RAGING HUNTER .357MAG/38SPL 6 3/4" 7 RDS TWO TONE	7-25327-61759-4	Alloy Steel	Matte Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	12.25 in.	1.80 in.	6.50 in.	53.00 oz	6.75 in.	Fixed / Adjustable	Hammer	938.3
2-357081RH	Raging Hunter™	RAGING HUNTER .357MAG/38SPL 8 3/8" 7 RDS BK	7-25327-61760-0	Alloy Steel	Matte Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	15.00 in.	1.80 in.	6.50 in.	59.20 oz	8.37 in.	Fixed / Adjustable	Hammer	928.85
2-357085RH	Raging Hunter™	RAGING HUNTER .357MAG/38SPL 8 3/8" 7RDS TWO TONE	7-25327-61761-7	Alloy Steel	Matte Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	15.00 in.	1.80 in.	6.50 in.	59.20 oz	8.37 in.	Fixed / Adjustable	Hammer	938.3
2-440051RH	Raging Hunter™	RAGING HUNTER 44MAG 5 1/8" 6RDS BK	7-25327-61752-5	Alloy Steel	Matte Black Oxide	6 RDS	44 MAG	DA/SA	10.90 in.	1.80 in.	6.50 in.	49.00 oz	5.12 in.	Fixed / Adjustable	Hammer	928.85
2-440055RH	Raging Hunter™	RAGING HUNTER 44MAG 5 1/8" 6RDS TWO TONE	7-25327-61753-2	Alloy Steel	Matte Black Oxide	6 RDS	44 MAG	DA/SA	10.90 in.	1.80 in.	6.50 in.	49.00 oz	5.12 in.	Fixed / Adjustable	Hammer	938.3
2-440061RH	Raging Hunter™	RAGING HUNTER 44MAG 6 3/4" 6RDS BK	7-25327-61755-6	Alloy Steel	Matte Black Oxide	6 RDS	44 MAG	DA/SA	12.60 in.	1.80 in.	6.50 in.	53.00 oz	6.75 in.	Fixed / Adjustable	Hammer	928.85
2-440065RH	Raging Hunter™	RAGING HUNTER 44MAG 6 3/4" 6RDS TWO TONE	7-25327-61754-9	Alloy Steel	Matte Black Oxide	6 RDS	44 MAG	DA/SA	12.60 in.	1.80 in.	6.50 in.	53.00 oz	6.75 in.	Fixed / Adjustable	Hammer	938.3
2-440081RH	Raging Hunter™	RAGING HUNTER 44MAG 8 3/8 " 6RDS BK	7-25327-61558-3	Alloy Steel	Matte Black Oxide	6 RDS	44 MAG	DA/SA	15.00 in.	1.80 in.	6.50 in.	55.00 oz	8.37 in.	Fixed / Adjustable	Hammer	928.85
2-440085RH	Raging Hunter™	RAGING HUNTER 44MAG 8 3/8" 6RDS TWO TONE	7-25327-61596-5	Alloy Steel	Matte Black Oxide	6 RDS	44 MAG	DA/SA	15.00 in.	1.80 in.	6.50 in.	55.00 oz	8.37 in.	Fixed / Adjustable	Hammer	938.3
2-454051RH	Raging Hunter™	RAGING HUNTER 454 5 1/8" 5RDS BK	7-25327-61762-4	Alloy Steel	Matte Black Oxide	5 RDS	454 CASULL	DA/SA	10.90 in.	1.80 in.	6.50 in.	50.00 oz	5.12 in.	Fixed / Adjustable	Hammer	928.85
2-454055RH	Raging Hunter™	RAGING HUNTER 454 5 1/8" 5RDS TWO TONE	7-25327-61763-1	Alloy Steel	Matte Black Oxide	5 RDS	454 CASULL	DA/SA	10.90 in.	1.80 in.	6.50 in.	50.00 oz	5.12 in.	Fixed / Adjustable	Hammer	938.3
2-454061RH	Raging Hunter™	RAGING HUNTER 454 6 3/4" 5RDS BK	7-25327-61764-8	Alloy Steel	Matte Black Oxide	5 RDS	454 CASULL	DA/SA	12.50 in.	1.80 in.	6.50 in.	54.00 oz	6.75 in.	Fixed / Adjustable	Hammer	928.85
2-454065RH	Raging Hunter™	RAGING HUNTER 454 6 3/4" 5RDS TWO TONE	7-25327-61765-5	Alloy Steel	Matte Black Oxide	5 RDS	454 CASULL	DA/SA	12.50 in.	1.80 in.	6.50 in.	54.00 oz	6.75 in.	Fixed / Adjustable	Hammer	938.3
2-454081RH	Raging Hunter™	RAGING HUNTER .454CASULL 8-3/8 " 5 RDS BK	7-25327-61766-2	Alloy Steel	Matte Black Oxide	5 RDS	454 CASULL	DA/SA	15.00 in.	1.80 in.	6.50 in.	57.00 oz	8.37 in.	Fixed / Adjustable	Hammer	928.85
2-454085RH	Raging Hunter™	RAGING HUNTER .454CASULL 8-3/8 " 5 RDS TWO TONE	7-25327-61767-9	Alloy Steel	Matte Black Oxide	5 RDS	454 CASULL	DA/SA	15.00 in.	1.80 in.	6.50 in.	57.00 oz	8.37 in.	Fixed / Adjustable	Hammer	938.3
2-460051RH	Raging Hunter™	RAGING HUNTER 460 S&W 5 1/8" 5 RDS BK	7-25327-62061-7	Alloy Steel	Matte Black Oxide	5 RDS	460 S&W Magnum	DA/SA	10.90 in.	1.80 in.	6.50 in.	50.00 oz	5.12 in.	Fixed / Adjustable	Hammer	968.18
2-460055RH	Raging Hunter™	RAGING HUNTER 460 S&W 5 1/8" 5 RDS BK	7-25327-62062-4	Alloy Steel	Matte Black Oxide	5 RDS	460 S&W Magnum	DA/SA	10.90 in.	1.80 in.	6.50 in.	50.00 oz	5.12 in.	Fixed / Adjustable	Hammer	983.33
2-460061RH	Raging Hunter™	RAGING HUNTER 460 S&W MAG 6 3/4" 5RDS BK	7-25327-62064-8	Alloy Steel	Matte Black Oxide	5 RDS	460 S&W Magnum	DA/SA	12.50 in.	1.80 in.	6.50 in.	54.00 oz	6.75 in.	Fixed / Adjustable	Hammer	968.18
2-460065RH	Raging Hunter™	RAGING HUNTER 460 S&W MAG 6 3/4" 5RDS TWO TONE	7-25327-62063-1	Alloy Steel	Matte Black Oxide	5 RDS	460 S&W Magnum	DA/SA	12.50 in.	1.80 in.	6.50 in.	54.00 oz	6.75 in.	Fixed / Adjustable	Hammer	983.33
2-460081RH	Raging Hunter™	RAGING HUNTER 460 S&W MAG 8 3/8" 5RDS BK	7-25327-61907-9	Alloy Steel	Matte Black Oxide	5 RDS	460 S&W Magnum	DA/SA	15.00 in.	1.80 in.	6.50 in.	57.00 oz	8.37 in.	Fixed / Adjustable	Hammer	968.18
2-460085RH	Raging Hunter™	RAGING HUNTER 460 S&W MAG 8 3/8" 5RDS TWO TONE	7-25327-61906-2	Alloy Steel	Matte Black Oxide	5 RDS	460 S&W Magnum	DA/SA	15.00 in.	1.80 in.	6.50 in.	57.00 oz	8.37 in.	Fixed / Adjustable	Hammer	983.33
Taurus® 608																
2-608049	Taurus® 608	M608 357MAGNUM 4" S/S A/S 8-SHOTS	7-25327-32014-2	Stainless Steel	Matte Stainless	8 RDS	357 MAG / 38 SPECIAL +P	DA/SA	9.67 in.	1.80 in.	6.00 in.	45.00 oz	4.00 in.	Fixed / Adjustable	Hammer	775.23
2-608069	Taurus® 608	M608 357MAGNUM 6-1/2" S/S A/S 8-SHOTS	7-25327-32016-6	Stainless Steel	Matte Stainless	8 RDS	357 MAG / 38 SPECIAL +P	DA/SA	11.67 in.	1.80 in.	6.00 in.	51.00 oz	6.50 in.	Fixed / Adjustable	Hammer	775.23
Taurus® 44																
2-440049	Taurus® 44	M44 .44MAG SS 4" 6-RDS	7-25327-20402-2	Stainless Steel	Matte Stainless	6 RDS	44 MAG	DA/SA	9.37 in.	1.80 in.	6.00 in.	45.00 oz	4.00 in.	Fixed / Adjustable	Hammer	660.94
2-440069	Taurus® 44	M44 .44MAG SS 6-1/2" 6-RDS	7-25327-20404-6	Stainless Steel	Matte Stainless	6 RDS	44 MAG	DA/SA	11.67 in.	1.80 in.	6.00 in.	52.00 oz	6.50 in.	Fixed / Adjustable	Hammer	660.94
2-440089	Taurus® 44	M44 .44MAG SS 8-3/8" 6-RDS	7-25327-20406-0	Stainless Steel	Matte Stainless	6 RDS	44 MAG	DA/SA	13.75 in.	1.80 in.	6.00 in.	57.00 oz	8.37 in.	Fixed / Adjustable	Hammer	677.52
Taurus® 66																
2-660041	Taurus® 66	M66 .357MAG BK 4" 7-RDS	7-25327-20013-0	Alloy Steel	Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	10.50 in.	1.50 in.	5.70 in.	38.00 oz	4.00 in.	Fixed / Adjustable	Hammer	502.32
2-660049	Taurus® 66	M66 .357MAG SS 4" 7-RDS	7-25327-20015-4	Stainless Steel	Matte Stainless	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	10.50 in.	1.50 in.	5.70 in.	38.00 oz	4.00 in.	Fixed / Adjustable	Hammer	518.11
2-660061	Taurus® 66	M66 .357MAG BK 6" 7-RDS	7-25327-20016-1	Alloy Steel	Matte Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	12.25 in.	1.50 in.	5.70 in.	40.00 oz	6.00 in.	Fixed / Adjustable	Hammer	502.32
2-660069	Taurus® 66	M66 .357MAG SS 6" 7-RDS	7-25327-20018-5	Stainless Steel	Matte Stainless	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	12.25 in.	1.50 in.	5.70 in.	40.00 oz	6.00 in.	Fixed / Adjustable	Hammer	518.11

TAURUS® REVOLVERS (CONTINUED)

ITEM NUMBER	SERIES	SHORT DESCRIPTION	UPC	CYLINDER MATERIAL	CYLINDER FINISH	CAPACITY	CALIBER	ACTION TYPE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	OVERALL WEIGHT	BARREL LENGTH	SIGHTS FRONT/REAR	FIRING SYSTEM	MSRP
Taurus® 65																
2-650041	Taurus® 65	M65 .357MAG BK 4" 6-RDS	7-25327-20003-1	Alloy Steel	Matte Black Oxide	6 RDS	357 MAG / 38 SPECIAL +P	DA/SA	10.50 in.	1.50 in.	5.50 in.	38.00 oz	4.00 in.	Fixed / Fixed	Hammer	486.86
2-650049	Taurus® 65	M65 .357MAG SS 4" 6-RDS	7-25327-33008-0	Stainless Steel	Matte Stainless	6 RDS	357 MAG / 38 SPECIAL +P	DA/SA	10.50 in.	1.50 in.	5.50 in.	38.00 oz	4.00 in.	Fixed / Fixed	Hammer	502.64
Taurus Tracker® 692																
2-692031	Taurus Tracker® 692	692 TRACKER BK/BK .357MAG/9MM 3" 7 RDS	7-25327-61602-3	Alloy Steel	Matte Black	7 RDS	357 MAG / 38 SPECIAL +P / 9MM	DA/SA	8.14 in.	1.50 in.	5.66 in.	35.00 oz	3.00 in.	Fixed / Adjustable	Hammer	652.5
2-692039	Taurus Tracker® 692	692 TRACKER SS/SS .357MAG/9MM 3" 7 RDS	7-25327-61600-9	Stainless Steel	Matte Stainless	7 RDS	357 MAG / 38 SPECIAL +P / 9MM	DA/SA	8.14 in.	1.50 in.	5.66 in.	35.00 oz	3.00 in.	Fixed / Adjustable	Hammer	706.08
2-692061	Taurus Tracker® 692	692 TRACKER BK/BK .357MAG/9MM 6.5" 7 RDS	7-25327-61601-6	Alloy Steel	Matte Black	7 RDS	357 MAG / 38 SPECIAL +P / 9MM	DA/SA	11.64 in.	1.50 in.	5.66 in.	46.00 oz	6.50 in.	Fixed / Adjustable	Hammer	652.5
2-692069	Taurus Tracker® 692	692 TRACKER SS/SS .357MAG/9MM 6.5" 7 RDS	7-25327-61599-6	Stainless Steel	Matte Stainless	7 RDS	357 MAG / 38 SPECIAL +P / 9MM	DA/SA	11.64 in.	1.50 in.	5.66 in.	46.00 oz	6.50 in.	Fixed / Adjustable	Hammer	706.08
Taurus Tracker® 992																
2-992049	Taurus Tracker® 992	M992 TRACKER .22LR/WMR SS 4" 9-RDS	7-25327-61021-2	Stainless Steel	Matte Stainless	9 RDS	22 LR / 22 WMR	DA/SA	8.80 in.	1.50 in.	5.30 in.	40.00 oz	4.00 in.	Fixed / Adjustable	Hammer	706.08
2-992069	Taurus Tracker® 992	M992 TRACKER .22LR/WMR SS 6-1/2" 9-RDS	7-25327-61017-5	Stainless Steel	Matte Stainless	9 RDS	22 LR / 22 WMR	DA/SA	11.20 in.	1.50 in.	5.30 in.	46.00 oz	6.50 in.	Fixed / Adjustable	Hammer	706.08
Taurus Tracker® 627																
2-627049	Taurus Tracker® 627	M627 TRACKER .357MAG SS 4" 7-RDS	7-25327-34038-6	Stainless Steel	Matte Stainless	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	8.75 in.	1.50 in.	5.30 in.	35.00 oz	4.00 in.	Fixed / Adjustable	Hammer	534.82
2-627069	Taurus Tracker® 627	M627 TRACKER .357MAG SS 6-1/2" 7-RDS	7-25327-34083-6	Stainless Steel	Matte Stainless	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	10.75 in.	1.50 in.	5.30 in.	40.00 oz	6.50 in.	Fixed / Adjustable	Hammer	534.82
Taurus Tracker®44																
2-440041TKR	Taurus Tracker®44	M44 TRACKER .44MAG BK 4" 5-RDS	7-25327-35123-8	Alloy Steel	Matte Black Oxide	5 RDS	44 MAG	DA/SA	9.00 in.	1.60 in.	5.30 in.	35.00 oz	4.00 in.	Fixed / Adjustable	Hammer	578.12
2-440049TKR	Taurus Tracker®44	M44 TRACKER .44MAG SS 4" 5-RDS	7-25327-35124-5	Stainless Steel	Matte Stainless	5 RDS	44 MAG	DA/SA	9.00 in.	1.60 in.	5.30 in.	35.00 oz	4.00 in.	Fixed / Adjustable	Hammer	594.7
Taurus Tracker®17																
2-170061	Taurus Tracker®17	M17 TRACKER .17HMR BK 6-1/2" 7-RDS	7-25327-34202-1	Alloy Steel	Matte Black Oxide	7 RDS	17 HMR	DA/SA	10.75 in.	1.50 in.	5.30 in.	47.00 oz	6.50 in.	Fixed / Adjustable	Hammer	541.45
2-170069	Taurus Tracker®17	M17 TRACKER .17HMR SS 6-1/2" 7-RDS	7-25327-34146-8	Stainless Steel	Matte Stainless	7 RDS	17 HMR	DA/SA	10.75 in.	1.50 in.	5.30 in.	47.00 oz	6.50 in.	Fixed / Adjustable	Hammer	594.76
Taurus Judge® Series																
2-441031T	Taurus Judge®	TAURUS JUDGE .45COLT/.410 BK 3" 5-RDS	7-25327-60211-8	Alloy Steel	Matte Black Oxide	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	9.50 in.	1.50 in.	5.10 in.	29.00 oz	3.00 in.	Fiber Optic / Fixed	Hammer	512.11
2-441039T	Taurus Judge®	TAURUS JUDGE .45COLT/.410 SS 3" 5-RDS	7-25327-60212-5	Stainless Steel	Matte Stainless	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	9.50 in.	1.50 in.	5.10 in.	29.00 oz	3.00 in.	Fiber Optic / Fixed	Hammer	559.42
2-441061T	Taurus Judge®	JUDGE .45COLT/.410 BK 6-1/2" 5-RDS	7-25327-60095-4	Alloy Steel	Matte Black Oxide	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	12.50 in.	1.50 in.	5.10 in.	32.00 oz	6.50 in.	Fiber Optic / Fixed	Hammer	512.11
2-441069T	Taurus Judge®	JUDGE .45COLT/.410 SS 6-1/2" 5-RDS	7-25327-60097-8	Stainless Steel	Matte Stainless	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	12.50 in.	1.50 in.	5.10 in.	32.00 oz	6.50 in.	Fiber Optic / Fixed	Hammer	559.42
2-441031MAG	Taurus Judge® Magnum	JUDGE .45COLT/.410MAG BK 3" 5-RDS	7-25327-60453-2	Alloy Steel	Matte Black Oxide	5 RDS	45 COLT/410 BORE 3 IN	DA/SA	9.50 in.	1.50 in.	5.10 in.	37.00 oz	3.00 in.	Fiber Optic / Fixed	Hammer	512.11
2-441039MAG	Taurus Judge® Magnum	JUDGE .45COLT/.410MAG SS 3" 5-RDS	7-25327-60452-5	Stainless Steel	Matte Stainless	5 RDS	45 COLT/410 BORE 3 IN	DA/SA	9.50 in.	1.50 in.	5.10 in.	37.00 oz	3.00 in.	Fiber Optic / Fixed	Hammer	559.42
2-441061MAG	Taurus Judge® Magnum	JUDGE .45COLT/.410MAG BK 6-1/2" 5-RDS	7-25327-61118-9	Alloy Steel	Matte Black Oxide	5 RDS	45 COLT/410 BORE 3 IN	DA/SA	12.50 in.	1.50 in.	5.10 in.	48.00 oz	6.50 in.	Fiber Optic / Fixed	Hammer	512.11
2-441069MAG	Taurus Judge® Magnum	JUDGE .45COLT/.410MAG SS 6-1/2" 5-RDS	7-25327-61117-2	Stainless Steel	Matte Stainless	5 RDS	45 COLT/410 BORE 3 IN	DA/SA	12.50 in.	1.50 in.	5.10 in.	48.00 oz	6.50 in.	Fiber Optic / Fixed	Hammer	559.42
2-441031TC	Taurus Judge Public Defender®	PUBLIC DEFENDER .45COLT/.410 BK 2-1/2" 5-RDS	7-25327-60708-3	Alloy Steel	Matte Black Oxide	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	7.65 in.	1.50 in.	4.60 in.	28.00 oz	2.50 in.	Fiber Optic / Fixed	Hammer	512.11
2-441039TC	Taurus Judge Public Defender®	PUBLIC DEFENDER .45COLT/.410 SS 2-1/2" 5-RDS	7-25327-60709-0	Stainless Steel	Matte Stainless	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	7.65 in.	1.50 in.	4.60 in.	28.00 oz	2.50 in.	Fiber Optic / Fixed	Hammer	559.42
2-441021PFS	Taurus Judge Public Defender® Polymer	PUBLIC DEFENDER POLY .45COLT/.410 BK 2" 5-RDS	7-25327-61069-4	Alloy Steel	Matte Black Oxide	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	7.65 in.	1.50 in.	4.80 in.	27.00 oz	2.50 in.	Fiber Optic / Adjustable	Hammer	455.94
2-441029TCPLY	Taurus Judge Public Defender® Polymer	PUBLIC DEFENDER POLY .45COLT/.410 SS 2" 5-RDS	7-25327-60833-2	Stainless Steel	Matte Stainless	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	7.65 in.	1.50 in.	4.80 in.	27.00 oz	2.50 in.	Fiber Optic / Adjustable	Hammer	471.71
2-513039	Raging Judge® 513	M513 RAGING JUDGE .45COLT/.410MAG SS 3" 6-RDS	7-25327-60827-1	Stainless Steel	Matte Stainless	6 RDS	45COLT/410BORE3IN/454CASULL	DA/SA	10.20 in.	1.90 in.	6.50 in.	61.00 oz	3.00 in.	Fiber Optic / Fixed	Hammer	1167.75
2-513069	Raging Judge® 513	M513 RAGING JUDGE .45COLT/.410MAG SS 6-1/2" 6-RDS	7-25327-60826-4	Stainless Steel	Matte Stainless	6 RDS	45COLT/410BORE3IN/454CASULL	DA/SA	14.10 in.	1.90 in.	6.50 in.	73.00 oz	6.50 in.	Fiber Optic / Fixed	Hammer	1167.75



MAGAZINES

Item Number	UPC	Description	2021 MSRP
358-0021-00	7-25327-90149-5	Magazine G3 9mm 15 RDS	\$36
358-0021-01	7-25327-90150-1	Magazine G3 9mm 17 RDS	\$36
358-0021-02	7-25327-90151-8	Magazine G3 9mm 10 RDS	\$36
358-0023-00	7-25327-90158-7	Magazine G3c 9mm 12 RDS	\$36
358-0023-01	7-25327-90159-4	Magazine G3c 9mm 10 RDS	\$36
358-0004-01	7-25327-90109-9	6-Round .380 Auto Magazine for Spectrum, Black	\$22
5-11091-17	7-25327-60025-1	17-Round PT-92/99 Magazine	\$36
5-11221	7-25327-51221-9	8-Round PT-22 Magazine	\$22
5-11221PLY	7-25327-61030-4	8-Round PT-22 Magazine .22LR for Poly Model	\$22
358-0005-01	7-25327-90115-0	12-Round 9mm Magazine for G2C	\$36
358-0005-02	7-25327-90116-7	10-Round 9mm Magazine for G2C	\$36
358-0006-01	7-25327-90117-4	10-Round .40 S&W Magazine for G2C	\$36
358-0007-01	7-25327-90118-1	7-Round 9mm Magazine for G2S	\$36
358-0008-01	7-25327-90119-8	6-Round .40 S&W Magazine for G2S	\$36
358-0009-01	7-25327-90120-4	17-Round 9mm Magazine for TH	\$36
358-0009-02	7-25327-90121-1	10-Round 9mm Magazine for TH	\$36
358-0010-01	7-25327-90122-8	15-Round .40 S&W Magazine for TH	\$36
358-0012-01	7-25327-90127-3	11-Round .40 S&W Magazine for THC	\$36
358-0012-02	7-25327-90128-0	10-Round .40 S&W Magazine for THC	\$36
358-0013-01	7-25327-90129-7	8-Round .45 Auto Magazine for 1911 Full & Commander	\$36
358-0014-01	7-25327-90130-3	6-Round .45 Auto Magazine for 1911 Officer	\$36
358-0017-01	7-25327-90138-9	16-Round Magazine for TX22	\$22
358-0017-02	7-25327-90139-6	10-Round Magazine for TX22	\$22

STELLAR CLIPS

Item Number	UPC	Description	2021 MSRP
5-0009	7-25327-34189-5	Five pack (5) Stellar 9mm Full-moon clips	\$9
5-0380	7-25327-61058-8	Five pack (5) Stellar .380 Auto Full-moon clips	\$9
358-0015-00	7-25327-90131-0	Five pack (5) Stellar Revolver for 692	\$22

WARNING concerning ammunition marked "+P" and "+P+". Taurus Firearms rated for "+P" ammunition are rated for Sporting Arms and Ammunition Manufacturers Institute (SAAMI) compliant "+P" ammunition. SAAMI does not recognize any "+P+" ammunition at all. It is DANGEROUS to fire "+P+" ammunition in any Taurus firearm and if you do so you may be seriously injured or killed.

In addition, it seems some ammunition marked "+P" is not SAAMI compliant either. There are only four calibers that can carry a "+P" rating from SAAMI. They are 38 Special +P, 9mm Luger +P, 38 Super Automatic and 45 Automatic +P. There are no other SAAMI approved "+P" loads. Any ammunition in any other caliber marked "+P" is not SAAMI compliant, may be dangerous and should not be used.

DANGER FOR "+P+"

Never use "Plus -P -Plus" (+P+) rated ammunition in any Taurus firearm. The Sporting Arms and Ammunition Manufacturers Institute (SAAMI) does not recognize such ratings and such ammunition can be very dangerous. Firing such ammunition can cause catastrophic failure in firearms resulting in serious bodily injury or death.

WARNING FOR "+P"

Only fire SAAMI rated Plus P ("P") ammunition in Taurus Models designated by Taurus for +P use as below. Firing +P ammunition in other Taurus products may be dangerous and can result in serious bodily injury or death.

- 85 (most models) small frame revolver in 38 Special
- 856 small frame revolver in 38 Special
- 850 small frame revolver in 38 Special
- 851 small frame revolver in 38 Special
- 85 Polymer small frame revolver in 38 Special
- 82 medium frame revolver in 38 Special
- 817 medium frame revolver in 38 Special
- All firearms chambered in 38 Super Automatic
- All firearms chambered in 45 Automatic (ACP)
- All firearms chambered in 9mm Luger

WARNING


Even if your Taurus firearm is rated for Plus-P ("P") ammunition, such ammunition generates pressures significantly in excess of the pressures associated with standard ammunition. Such pressures may affect the useful life of the firearm or exceed the margin of safety built into many firearms. Unless you need +P ammunition, do not use it, particularly for practice.

Taurus International Firearms™, Taurus®, Taurus Millennium®, Taurus Security System®, Raging Bull®, Ribber Grip®, Taurus Tracker™, Tracker™, Taurus Ultra-Lite®, Taurus Stellar Clip™, Taurus Judge®, Taurus Memory Pad™, Taurus 24/7™ G2, The Judge®, Judge Public Defender®, Raging Judge®, Curve®, Everyday Gun™, Taurus 1911™, CIA™, Unlimited Lifetime Repair Policy™, Taurus Spectrum®, Taurus T4SA™, and all respective logos depicted in this catalog are the trademarks of Forjas Taurus, S.A. or Taurus International Manufacturing, Inc.

The products herein are subject to export control regulations in relevant countries, including, but not limited to, the International Traffic in Arms Regulation, 22 U.S.C. 2778 of the Arms Export Control Act and Executive Order 13637.

Specifications are subject to change without notice. All photographs, descriptions and other information in this catalog are purely indicative. Products may vary from those depicted, and Taurus reserves the right to modify, change or discontinue products, pricing or features at any time without prior notice.

© Copyright Taurus International Manufacturing, Inc. 2021. All rights reserved.



For complete terms and conditions, visit:
warranty.taurususa.com